



**NORDICA**

**2023 | 2024**

**WORKBOOK**





# *INDEX*

**Ski Boots** page 4

**Skis** page 18

**Rental** page 40

**Accessories** page 44

**Recycle Your Boots** page 50



# NEW DOBERMANN.

BLACK IS THE NEW BLACK.



find out more



## WORLD CUP / DOBERMANN / 93mm



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
93	150-130

size range g/MP 26,5  
22,5-29,5 2450

liner type/style:  
Heel Link Laced Race Fit

technologies:  
Dynamic Booster Stiff  
Double setting quick spoiler  
4 buckles RD alu micro adj  
5 mm lifters in box

**DOBERMANN 5 RD-ES**  
050A06 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
93	140-120

size range g/MP 26,5  
22,5-29,5 2450

liner type/style:  
Heel Link Laced Race Fit

technologies:  
Dynamic Booster Stiff  
Double setting quick spoiler  
4 buckles RD alu micro adj  
5 mm lifters in box

**DOBERMANN 5 RD-S**  
050A08 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
93	120-100

size range g/MP 26,5  
22,5-29,5 2450

liner type/style:  
Heel Link Laced Race Fit

technologies:  
Dynamic Booster Med  
Double setting quick spoiler  
4 buckles RD alu micro adj  
5 mm lifters in box

**DOBERMANN 5 RD-M**  
050A10 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
93	110-90

size range g/MP 26,5  
22,5-27,5 2060

liner type/style:  
Heel Link Laced Race Fit L.C.

technologies:  
Dynamic Booster Med  
Double setting quick spoiler  
4 buckles RD alu micro adj

**DOBERMANN 5 RD-SOFT L.C.**  
050A12 00 100 black



## RACE-ON PISTE / DOBERMANN / 96mm



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
96	140-120

size range g/MP 26,5  
22,5-29,5 2310

liner type/style:  
Dobermann 5 Race laced

technologies:  
Dynamic Booster Med  
Double setting quick spoiler  
4 buckles alu micro screwed  
5 mm lifters in box

**DOBERMANN 5 S**  
050A20 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
96	120-100

size range g/MP 26,5  
22,5-29,5 2310

liner type/style:  
Dobermann 5 Race laced

technologies:  
Dynamic Booster Med  
Double setting quick spoiler  
4 buckles alu micro screwed  
5 mm lifters in box

**DOBERMANN 5 M**  
050A22 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
96	110-90

size range g/MP 24,5  
21,5-27,5 2060

liner type/style:  
Dobermann 5 Race laced L.C.

technologies:  
Strap 45mm  
Quick set Spoiler  
4 buckles alu micro screwed

**DOBERMANN 5 M.L.C.**  
050A24 00 100 black



NEW

soles:  
Not replaceable -  
Alpine DIN 5355

last (mm)	flex
96	90-70

size range g/MP 24,5  
21,5-27,5 2060

liner type/style:  
Dobermann 5 Race laced L.C.

technologies:  
Strap 45mm  
Quick set Spoiler  
4 buckles alu micro screwed

**DOBERMANN 5 SOFT L.C.**  
050A28 00 100 black





# MACHINE FAMILY.

THE PERFORMANCE YOU DEMAND, THE COMFORT YOU DESIRE.



**PROMACHINE  
PURE POWER**

**SPEEDMACHINE  
TRUE PERFORMANCE**

**SPORTMACHINE  
ABSOLUTE CONTROL**



**soles:**  
Michelin® Gripwalk® soles  
**last (mm)** flex  
98 130  
**size range** g/MP 26,5  
22,5-30,5 1870  
**liner type/style:**  
Isotherm 3D Cork Fit R  
laced & adjustable tongue  
**technologies:**  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 130 GW**  
050F42 03 7T1 black / anthracite / red



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 120  
**size range** g/MP 26,5  
24,0-30,5 1830  
**liner type/style:**  
Isotherm 3D  
Cork Fit Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 120 GW**  
050F44 03 731 black / anthracite / green



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 110  
**size range** g/MP 26,5  
24,0-30,5 1810  
**liner type/style:**  
Isotherm 3D Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
45mm Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 110 GW**  
050F50 03 M99 anthracite / black / red



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 100  
**size range** g/MP 26,5  
24,0-30,5 1810  
**liner type/style:**  
Isotherm 3D Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
45mm Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 100 GW**  
050F53 03 N96 black / grey / red



**soles:**  
Michelin® Gripwalk® soles  
**last (mm)** flex  
98 115  
**size range** g/MP 24,5  
22,0-27,5 1690  
**liner type/style:**  
Isotherm 3D Cork W  
Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 115 W GW**  
050F46 03 731 black / anthracite / green



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 105  
**size range** g/MP 24,5  
22,0-27,5 1670  
**liner type/style:**  
Isotherm 3D Cork W  
Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
35mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 105 W GW**  
050F48 03 5N6 white / black / pink



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 95  
**size range** g/MP 24,5  
22,0-27,5 1650  
**liner type/style:**  
Isotherm 3D W Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 95 W GW**  
050F52 03 T62 black / anthracite / blue



**soles:**  
Gripwalk® soles  
**last (mm)** flex  
98 85  
**size range** g/MP 24,5  
22,0-27,5 1630  
**liner type/style:**  
Isotherm 3D W Primaloft®  
**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap

**PROMACHINE 85 W GW**  
050F54 03 Q04 black / white / green







**ISPO AWARD 2021**  
Gold Winner

**GRIP WALK**

**soles:**  
Michelin® Gripwalk® soles

last (mm)	flex
100	130

size range g/MP 26,5  
24,0-31,0 1950

liner type/style:  
3D Cork Fit

technologies:  
Infrared  
Flex Adjustment  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**SPEEDMACHINE 3 130 S GW**  
050G10 00 3F1 black / red / anthracite




**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	130

size range g/MP 26,5  
24,0-31,0 1920

liner type/style:  
3D Cork Fit Primaloft®

technologies:  
Infrared  
Flex Adjustment  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

**SPEEDMACHINE 3 130 GW**  
050G14 00 7T1 black / anthracite / red




**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	120

size range g/MP 26,5  
24,0-31,0 1910

liner type/style:  
3D Cork Fit Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 45 mm  
Tri Force Construction  
Easy Entry Soft Flap

**SPEEDMACHINE 3 120 GW**  
050G18 00 047 anthracite / black / green




**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	110

size range g/MP 26,5  
24,0-31,0 1910

liner type/style:  
3D Cork Fit Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 45mm  
Tri Force Construction  
Easy Entry Soft Flap

**SPEEDMACHINE 3 110 GW**  
050G22 00 7T1 black / anthracite / red




**BELLES**

**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	115

size range g/MP 24,5  
22,0-27,5 1700

liner type/style:  
3D Cork Fit W Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
35mm Power Driver Strap  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap

**SPEEDMACHINE 3 115 W GW**  
050G15 00 3A9 black / white / pink




**BELLES**

**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	105

size range g/MP 24,5  
22,0-27,5 1700

liner type/style:  
3D Cork Fit W Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
35mm Strap  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap

**SPEEDMACHINE 3 105 W GW**  
050G19 00 Q04 black / white / green




**BELLES**

**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	95

size range g/MP 24,5  
22,0-27,5 1700

liner type/style:  
3D Cork Fit W Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap

**SPEEDMACHINE 3 95 W GW**  
050G23 00 047 anthracite / black / green




**BELLES**

**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	85

size range g/MP 24,5  
22,0-27,5 1700

liner type/style:  
3D Performance Fit W Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap

**SPEEDMACHINE 3 85 W GW**  
050G27 00 541 black / anthracite / white




**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	100

size range g/MP 26,5  
24,0-31,0 1910

liner type/style:  
3D Performance Fit Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 45mm  
Tri Force Construction  
Easy Entry Soft Flap

**SPEEDMACHINE 3 100 GW**  
050G26 00 2T5 grey / black / white




**BELLES**

**GRIP WALK**

**soles:**  
Gripwalk® soles

last (mm)	flex
100	85

size range g/MP 24,5  
22,0-27,5 1700

liner type/style:  
3D Performance Fit W Primaloft®

technologies:  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap

**SPEEDMACHINE 3 85 W GW**  
050G27 00 269 white / black / anthracite







**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 130

**size range** g/MP 26,5  
24,5-32,5 1980

**liner type/style:**  
3D Cork Fit Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 45 mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 130 GW**  
050T02 00 7T1 black / anthracite / red



**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 120

**size range** g/MP 26,5  
24,5-32,5 1980

**liner type/style:**  
3D Cork Fit Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 45 mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 120 GW**  
050T04 00 M99 anthracite / black / red



**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 110

**size range** g/MP 26,5  
24,5-32,5 1970

**liner type/style:**  
3D Performance Fit Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 110 GW**  
050T06 00 047 anthracite / black / green



**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 100

**size range** g/MP 26,5  
24,5-32,5 1900

**liner type/style:**  
Precision Fit Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 100 GW**  
050T10 00 N96 black / grey / red



**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 95

**size range** g/MP 24,5  
22,5-27,5 1780

**liner type/style:**  
3D W Performance Fit Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 95 W GW**  
050T07 00 6R5 black / green / white



**soles:**  
Gripwalk® soles

**last (mm)** flex  
102 85

**size range** g/MP 24,5  
22,5-27,5 1780

**liner type/style:**  
Precision Fit W Primaloft®

**technologies:**  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 85 W GW**  
050T11 00 9G1 black / bronze / white



**soles:**  
5355 Alpine High Traction soles

**last (mm)** flex  
102 75

**size range** g/MP 24,5  
22,5-27,5 1580

**liner type/style:**  
Comfort Fit W Primaloft®

**technologies:**  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 75 W**  
050T15 00 3A9 black / anthracite / rose



**soles:**  
5355 Alpine High Traction soles

**last (mm)** flex  
102 65

**size range** g/MP 24,5  
22,5-27,5 1580

**liner type/style:**  
Comfort Fit W

**technologies:**  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 65 W**  
050T19 00 541 black / anthracite / white



**soles:**  
5355 Alpine High Traction soles

**last (mm)** flex  
102 90

**size range** g/MP 26,5  
24,5-32,5 1700

**liner type/style:**  
Comfort Fit Primaloft®

**technologies:**  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 90**  
050T14 00 7T1 black / anthracite / red



**soles:**  
5355 Alpine High Traction soles

**last (mm)** flex  
102 80

**size range** g/MP 26,5  
24,5-32,5 1700


**liner type/style:**  
Comfort Fit

**technologies:**  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap

**SPORTMACHINE 3 80**  
050T18 00 243 anthracite / black / white







# UNLIMITED.

WHERE BOUNDARIES DON'T EXIST.



find out more



**UNLIMITED LT 130 DYN**  
050P30 00 4R1 avio/ black/ red



**soles:**  
Gripwalk Michelin® + soles Dynafit® inserts  
**last (mm)** flex 99 130  
**size range** g/MP 26,5 22,5-30,5 1480  
**liner type/style:**  
3D Light Performance Fit TF  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
50 mm Power Strap + quick release  
Tri Force Construction



**UNLIMITED 130 DYN**  
050P34 00 4R3 black/ irid green/ red



**soles:**  
Gripwalk PU + soles Dynafit® inserts  
**last (mm)** flex 99 130  
**size range** g/MP 26,5 22,5-31,0 1680  
**liner type/style:**  
3D Cork Fit Primaloft® Light  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
50 mm Power Strap + quick release  
Tri Force Construction



**UNLIMITED 120 DYN**  
050P36 00 4R4 green/ black/ red



**soles:**  
Gripwalk PU + soles Dynafit® inserts  
**last (mm)** flex 99 120  
**size range** g/MP 26,5 22,5-30,5 1680  
**liner type/style:**  
3D Cork Fit Primaloft® Light  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
Power Strap 45 mm  
Tri Force Construction



**UNLIMITED LT 115W DYN**  
050P31 00 4R2 avio/ black/ light blue



**soles:**  
Gripwalk Michelin® + soles Dynafit® inserts  
**last (mm)** flex 99 115  
**size range** g/MP 24,5 22,5-27,5 1390  
**liner type/style:**  
3D Light Performance Fit TF W  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
50 mm Power Strap + quick release  
Tri Force Construction



**UNLIMITED 105 W DYN**  
050P37 00 4R5 black/ irid purple/ red



**soles:**  
Gripwalk PU + soles Dynafit® inserts  
**last (mm)** flex 99 115  
**size range** g/MP 24,5 22,5-27,5 1530  
**liner type/style:**  
3D Cork Fit W Primaloft® Light  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
50 mm Power Strap + quick release  
Tri Force Construction



**UNLIMITED 95 W DYN**  
050P39 00 4R6 light green/ black/ light blue



**soles:**  
Gripwalk PU + soles Dynafit® inserts  
**last (mm)** flex 99 95  
**size range** g/MP 24,5 22,5-27,5 1530  
**liner type/style:**  
3D Cork Fit W Primaloft® Light  
**technologies:**  
Infrared  
Tri-Fit Technology  
Hike Mechanism  
Power Strap 45mm  
Tri Force Construction



**PREMIUM COMFORT / HF**



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	120

**size range** g/MP 26,5  
24,0-31,0 1850

**liner type/style:**  
HF 3D Cork Fit Primaloft® Performance

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
45mm Power Driver Strap  
Hands Free Step In & Out  
Monolock Buckle

**HF PRO 120 GW**  
050K06 00 741 black / red




**soles:**  
Michelin® Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	110

**size range** g/MP 26,5  
24,0-31,0 1890

**liner type/style:**  
HF Bluetooth 3D Cork Fit Primaloft® HEAT

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF ELITE HEAT GW**  
050K02 00 100 black




**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	110

**size range** g/MP 26,5  
24,0-31,0 1760

**liner type/style:**  
HF 3D Cork Fit Primaloft®

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 110 GW**  
050K12 00 3F1 black / anthracite / red




**soles:**  
5355 Alpine High Traction double density PU

<b>last (mm)</b>	<b>flex</b>
102	100

**size range** g/MP 26,5  
24,0-31,0 1750

**liner type/style:**  
HF 3D Performance Fit Primaloft®

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 100**  
050K18 00 M99 anthracite / black / red



**ALL MOUNTAIN / SPORT PERFORMANCE / THE CRUISE**



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
104	120

**size range** g/MP 26,5  
24,0-32,5 1940

**liner type/style:**  
Performance Fit Primaloft®

**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap

**THE CRUISE 120 GW**  
050640 02 7T1 black / anthracite / red




**soles:**  
5355 Alpine High Traction soles

<b>last (mm)</b>	<b>flex</b>
104	100

**size range** g/MP 26,5  
24,0-32,5 1660

**liner type/style:**  
Comfort Fit

**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap

**THE CRUISE 100**  
050650 02 243 anthracite / black / white




**soles:**  
5355 Alpine High Traction soles

<b>last (mm)</b>	<b>flex</b>
104	80

**size range** g/MP 26,5  
24,0-32,5 1590

**liner type/style:**  
Comfort Fit

**technologies:**  
Instep Volume Control (IVC)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap

**THE CRUISE 80**  
050660 02 7T1 black / anthracite / red




**soles:**  
Michelin® Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	85

**size range** g/MP 26,5  
23,0-27,5 1900

**liner type/style:**  
HF Bluetooth 3D Cork Fit W Primaloft® HEAT

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF ELITE HEAT W GW**  
050K03 00 100 black




**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	85

**size range** g/MP 24,5  
23,0-27,5 1750

**liner type/style:**  
HF 3D Cork Fit W Primaloft®

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 85 W GW**  
050K13 00 731 black / anthracite / green




**soles:**  
5355 Alpine High Traction double density PU


<b>last (mm)</b>	<b>flex</b>
102	75

**size range** g/MP 24,5  
23,0-27,5 1580

**liner type/style:**  
HF 3D Performance Fit W Primaloft®

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 75 W**  
050K19 00 3C2 black / pearl black / pink

**soles:**  
5355 Alpine High Traction soles

<b>last (mm)</b>	<b>flex</b>
104	75

**size range** g/MP 24,5  
22,5-27,5 1550

**liner type/style:**  
Comfort Fit W

**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap

**THE CRUISE 75 W**  
050652 02 4D1 pearl black / white / gold




**soles:**  
5355 Alpine High Traction soles

<b>last (mm)</b>	<b>flex</b>
104	65

**size range** g/MP 24,5  
22,5-27,5 1480

**liner type/style:**  
Comfort Fit W

**technologies:**  
Instep Volume Control (IVC)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap

**THE CRUISE 65 W**  
050670 02 Q04 black / white / green







**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
100	55
size range	g/MP 25,5
19,0-27,5	1400

**liner type/style:**  
Comfort Fit

**technologies:**  
Strap 25 mm  
Micro Adj Buckles

**SPEEDMACHINE J4**

050734 00 7T1 black / anthracite / red

FULL TRIAX



**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
-	45
size range	g/MP 21,5
20,0-26,5	860

**liner type/style:**  
Comfort Fit

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J3**

050860 00 7T1 black / anthracite / red

FULL TRIAX



**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
-	45
size range	g/MP 18,5
16,5-23,5	710

**liner type/style:**  
Comfort Fit

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J2**

050862 00 7T1 black / anthracite / red

FULL TRIAX



**soles:**  
5355 High Traction soles

last (mm)	flex
-	25
size range	g/MP 16,0
14,5-19,5	680

**liner type/style:**  
Comfort Fit

**technologies:**  
Ratchet  
Single Buckle

**SPEEDMACHINE J1**

050864 00 7T1 black / anthracite / red



**NEW**

**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
100	60
size range	g/MP 25,5
19,0-27,5	1420

**liner type/style:**  
Comfort Fit

**technologies:**  
Strap 25 mm  
Micro Adj Buckles

**DOBERMANN 60**

050732 01 T80 black / anthracite

FULL TRIAX



**BELLES**

**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
100	55
size range	g/MP 25,5
19,0-27,5	1400

**liner type/style:**  
Comfort Fit

**technologies:**  
Strap 25 mm  
Micro Adj Buckles

**SPEEDMACHINE J4 GIRL**

050736 00 3L4 light blue / white / pink

FULL TRIAX



**BELLES**

**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
-	45
size range	g/MP 21,5
20,0-26,5	860

**liner type/style:**  
Comfort Fit

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J3 GIRL**

050870 01 3L4 light blue / white / pink

FULL TRIAX



**BELLES**

**GRIP WALK OPTION**

**soles:**  
5355 High Traction soles

last (mm)	flex
-	45
size range	g/MP 18,5
16,5-23,5	710

**liner type/style:**  
Comfort Fit

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J2 GIRL**

050872 01 3L4 light blue / white / pink

FULL TRIAX



**BELLES**

**soles:**  
5355 High Traction soles

last (mm)	flex
-	25
size range	g/MP 16,0
14,5-19,5	680

**liner type/style:**  
Comfort Fit

**technologies:**  
Ratchet  
Single Buckle

**SPEEDMACHINE J1 GIRL**

050874 01 3L4 light blue / white / pink





# DC DOUBLE CORE


## THE BIRTH OF A REVOLUTION

Yet when we began developing our Double Core technology, we didn't anticipate that it could transform skiing across the globe. Initially, the Nordica ski development team—led by Product Manager Florian Seer—aimed to reimagine how a women's ski could perform. This led Nordica's research and development team to divide the wood core—the soul of the ski—into two layers and embed an elastomer Pulse Core between them. This dampened vibrations to create a smooth yet powerful ride that boosted confidence.




## PERFECT COMBINATION


We've since expanded the use of our Double Core technology, reimagining iconic models by enhancing their performance even further. And while the design and construction of each model is tailored to its specific needs, these skis are united by a common vision—a commitment to amplifying fun.



**ENERGY 2 TI DC**  
RACE PERFORMANCE




- ① Titanal
- ② Woodcore
- ③ Pulse Core
- ④ Woodcore
- ⑤ Titanal




**ENERGY TI DC**  
VERSATILE PERFORMANCE



- ② Woodcore
- ① Titanal
- ③ Pulse Core
- ④ Woodcore



**ENERGY DC**  
INTUITIVE PERFORMANCE



- ② Woodcore
- ③ Pulse Core
- ④ Woodcore




DOBERMANN DOUBLE CORE



**DOBERMANN  
GSR DC FDT**

black / red  
**0A3522 KB 001**  
Xcell 14 FDT


**sizes:**  
170 · 175 · 180 · 185  
**sidecut (by size):**  
113,5-69-96,5 (170-175) ·  
114-69-97 (180-185)  
**radius (by size):**  
17,5 (170) · 18,5 (175) ·  
19,5 (180) · 20,5 (185)  
**DIN setting:**  
4-14 TCX  
**system:**  
FDT Race Plate Pro N  
**ski construction:**  
Energy 2 TI Double Core  
**camRock:**  
Full Camber Profile



**DOBERMANN  
SLR DC FDT**

black / red  
**0A3526 KB 001**  
Xcell 14 FDT


**sizes:**  
155 · 160 · 165 · 170  
**sidecut (by size):**  
119-69-103 (155-160) ·  
120-69-104 (165-170)  
**radius (by size):**  
11,5 (155) · 12,5 (160) ·  
13 (165) · 14 (170)  
**DIN setting:**  
4-14 TCX  
**system:**  
FDT Race Plate Pro N  
**ski construction:**  
Energy 2 TI Double Core  
**camRock:**  
Full Camber Profile



**DOBERMANN  
MULTIGARA DC RACE**

black / red  
**0A3521 CD 001**  
X-Comp 14 GW


**sizes:**  
170 · 175 · 180  
**sidecut (by size):**  
121-70-101 (170-175) · 122-70-102 (180)  
**radius (by size):**  
15 (170) · 16 (175) · 16,6 (180)  
**DIN setting:**  
4-14 TCX  
**system:**  
Race Plate Pro N  
**ski construction:**  
Energy 2 TI Double Core  
**camRock:**  
Full Camber Profile



**DOBERMANN  
MULTIGARA DC FDT**

black / red  
**0A3524 KB 001**  
Xcell 14 FDT

**sizes:**  
160 · 165 · 170 · 175 · 180  
**sidecut (by size):**  
118,5-70-98,5 (160) · 119-70-99 (165) ·  
121-70-101 (170-175) · 122-70-102 (180)  
**radius (by size):**  
14 (160) · 14,8 (165) · 15 (170) ·  
16 (175) · 16,6 (180)  
**DIN setting:**  
4-14 TCX  
**system:**  
FDT Race Plate Pro N  
**ski construction:**  
Energy 2 TI Double Core  
**camRock:**  
Full Camber Profile



DOBERMANN



**DOBERMANN  
GSC FDT**

grey / red  
**0A3528 NA 001**  
TPX 12 FDT

**sizes:**  
170 · 175 · 180  
**sidecut (by size):**  
113,5-69-96,5 (170-175) ·  
114-69-97 (180)  
**radius (by size):**  
17,5 (170) · 18,5 (175) · 19,5 (180)  
**DIN setting:**  
4-12 TC  
**system:**  
FDT Race Plate N  
**ski construction:**  
Energy CA  
**camRock:**  
Full Camber Profile



**DOBERMANN  
SLC FDT**

grey / red  
**0A3530 NA 001**  
TPX 12 FDT

**sizes:**  
155 · 160 · 165 · 170  
**sidecut (by size):**  
119-69-103 (155-160) ·  
120-69-104 (165-170)  
**radius (by size):**  
11,5 (155) · 12,5 (160) ·  
13 (165) · 14 (170)  
**DIN setting:**  
4-12 TC  
**system:**  
FDT Race Plate N  
**ski construction:**  
Energy CA  
**camRock:**  
Full Camber Profile





**RACE-ON PISTE / SPITFIRE**

**SPITFIRE DOUBLE CORE**



**SPITFIRE DC 80 PRO FDT**

grey / red  
**0A3531 LB 001**  
 Xcell 12 FDT

**sizes:**  
 162 · 168 · 174 · 180  
**sidecut (by size):**  
 128-80-108 (162) · 130-80-110 (168-180)  
**radius (by size):**  
 14,5 (162) · 15 (168) · 16 (174) · 17 (180)  
**DIN setting:**  
 4-12 TCX  
**system:**  
 FDT Race Plate N  
**ski construction:**  
 Energy TI Double Core  
**camRock:**  
 Full Camber Profile

**NEW**

**DC**  
 DOUBLE  
 CORE



**SPITFIRE DC 74 PRO FDT**

grey / red  
**0A3532 LB 001**  
 Xcell 12 FDT

**sizes:**  
 160 · 165 · 170 · 175 · 180  
**sidecut (by size):**  
 121,5-74-101,5 (160) · 122-74-102 (165) · 124-74-104 (170-175) · 125-74-105 (180)  
**radius (by size):**  
 14,5 (160) · 15,3 (165) · 15,5 (170) · 16,5 (175) · 17,1 (180)  
**DIN setting:**  
 4-12 TCX  
**system:**  
 FDT Race Plate N  
**ski construction:**  
 Energy TI Double Core  
**camRock:**  
 Full Camber Profile

**NEW**

**DC**  
 DOUBLE  
 CORE



**SPITFIRE DC 68 PRO FDT**

grey / red  
**0A3534 LB 001**  
 Xcell 12 FDT

**sizes:**  
 160 · 165 · 170 · 175 · 180  
**sidecut (by size):**  
 116,5-68-96,5 (160) · 117-68-97 (165) · 119-68-99 (170-175) · 120-68-100 (180)  
**radius (by size):**  
 14 (160) · 14,8 (165) · 15 (170) · 16 (175) · 16,8 (180)  
**DIN setting:**  
 4-12 TCX  
**system:**  
 FDT Race Plate N  
**ski construction:**  
 Energy TI Double Core  
**camRock:**  
 Full Camber Profile

**NEW**

**DC**  
 DOUBLE  
 CORE



**SPITFIRE 74 DC FDT**

red / anthracite  
**0A3536 NB 001**  
 TPX 12 FDT

**sizes:**  
 160 · 165 · 170 · 175  
**sidecut (by size):**  
 121,5-74-101,5 (160) · 122-74-102 (165) · 124-74-104 (170-175)  
**radius (by size):**  
 14,5 (160) · 15,3 (165) · 15,5 (170) · 16,5 (175)  
**DIN setting:**  
 4-12 TCX  
**system:**  
 FDT Race Plate N  
**ski construction:**  
 Energy Double Core  
**camRock:**  
 Full Camber Profile

**NEW**

**DC**  
 DOUBLE  
 CORE



**SPITFIRE 68 DC FDT**

red / anthracite  
**0A3538 NB 001**  
 TPX 12 FDT

**sizes:**  
 160 · 165 · 170 · 175  
**sidecut (by size):**  
 116,5-68-96,5 (160) · 117-68-97 (165) · 119-68-99 (170-175)  
**radius (by size):**  
 14 (160) · 14,8 (165) · 15 (170) · 16 (175)  
**DIN setting:**  
 4-12 TCX  
**system:**  
 FDT Race Plate N  
**ski construction:**  
 Energy Double Core  
**camRock:**  
 Full Camber Profile

**NEW**

**DC**  
 DOUBLE  
 CORE





SPITFIRE



**SPITFIRE  
TI FDT**

red / anthracite  
**OA3540 OD 001**  
TP2 Light 11 FDT

**sizes:**  
150 · 156 · 162 · 168 · 174  
**sidecut (by size):**  
116-70-96 (150) · 118-70-98 (156)  
119-71-99 (162-168) · 121-71-101 (174)  
**radius (by size):**  
12,5 (150) · 13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174)  
**DIN setting:**  
3-11 TC  
**system:**  
FDT Race Plate N  
**ski construction:**  
Energy TI  
**camRock:**  
Full Camber Profile

RENTAL  
READY



**SPITFIRE  
CA FDT**

anthracite / red  
**OA3541 SA 001**  
TP2 Compact 10 FDT

**sizes:**  
150 · 156 · 162 · 168 · 174  
**sidecut (by size):**  
116-70-96 (150) · 118-70-98 (156)  
119-71-99 (162-168) · 121-71-101 (174)  
**radius (by size):**  
12,5 (150) · 13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174)  
**DIN setting:**  
3-10 ML  
**system:**  
FDT Demo Plate  
**ski construction:**  
Energy CA  
**camRock:**  
Full Camber Profile

RENTAL  
READY



**SPITFIRE  
75 FDT**

anthracite / white  
**OA3542 SA 001**  
TP2 Compact 10 FDT

**sizes:**  
144 · 150 · 156 · 162 · 168 · 174  
**sidecut (by size):**  
123-75-103 (144-150) ·  
124-75-104 (156-162) ·  
125-75-105 (168-174)  
**radius (by size):**  
11 (144) · 12 (150) · 12,5 (156) ·  
13,5 (162) · 14,5 (168) · 15,5 (174)  
**DIN setting:**  
3-10 ML  
**system:**  
FDT Demo Plate  
**ski construction:**  
Composite Wood Partial SW  
**camRock:**  
On Piste Profile

RENTAL  
READY



**SPITFIRE  
73 FDT**

anthracite / red  
**OA3544 SA 001**  
TP2 Compact 10 FDT

**sizes:**  
144 · 150 · 156 · 162 · 168 · 174  
**sidecut (by size):**  
119-73-96 (144) · 121-73-98 (150) ·  
122,5-73-100 (156) · 123,5-73-101 (162) ·  
124-73-101 (168) · 124,5-73-102 (174)  
**radius (by size):**  
12 (144) · 12,5 (150) · 13 (156) ·  
13,7 (162) · 14,6 (168) · 15,5 (174)  
**DIN setting:**  
3-10 ML  
**system:**  
FDT Demo Plate  
**ski construction:**  
Composite Wood  
**camRock:**  
On Piste Profile

RENTAL  
READY

BELLE DOUBLE CORE




**BELLE  
SL DC FDT**

black / silver  
**OA3550 OB 001**  
TP2 Light 11 FDT

**sizes:**  
150 · 155 · 160 · 165  
**sidecut (by size):**  
118-69-102 (150) ·  
119-69-103 (155-160) ·  
120-69-104 (165)  
**radius (by size):**  
11 (150) · 11,5 (155) ·  
12,5 (160) · 13 (165)  
**DIN setting:**  
3-11 TC  
**system:**  
FDT Race Plate N  
**ski construction:**  
Energy TI Double Core  
**camRock:**  
Full Camber Profile

NEW BELLES

DC  
DOUBLE  
CORE



**WILD BELLE  
DC 84**

black / teal  
**OA3552 OC 001**  
TP2 Light 11 FDT

**sizes:**  
144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
130-84-109 (144) · 131-84-110 (150) ·  
132-84-111 (156) · 133-84-112 (162) ·  
134-84-113 (168)  
**radius (by size):**  
11,5 (144) · 12,2 (150) · 12,8 (156) ·  
13,7 (162) · 14,5 (168)  
**DIN setting:**  
3-11 TC  
**system:**  
FDT HP Free Demo Plate Short  
**ski construction:**  
Energy Double Core  
**camRock:**  
On Piste Rocker

BELLES

DC  
DOUBLE  
CORE



**BELLE  
DC 78**

black / teal  
**OA3554 OC 001**  
TP2 Light 11 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
123-78-102 (138) · 124-78-103 (144) ·  
125-78-104 (150) · 126-78-105 (156) ·  
127-78-106 (162) · 128-78-107 (168)  
**radius (by size):**  
10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)  
**DIN setting:**  
3-11 TC  
**system:**  
FDT HP Free Demo Plate Short  
**ski construction:**  
Energy Double Core  
**camRock:**  
On Piste Rocker

BELLES

DC  
DOUBLE  
CORE



**BELLE  
DC 72**

black / teal  
**OA3556 OC 001**  
TP2 Light 11 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
117-72-96 (138) · 118-72-97 (144) ·  
119-72-98 (150) · 120-72-99 (156) ·  
121-72-100 (162) · 122-72-101 (168)  
**radius (by size):**  
10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)  
**DIN setting:**  
3-11 TC  
**system:**  
FDT HP Free Demo Plate Short  
**ski construction:**  
Energy Double Core  
**camRock:**  
On Piste Rocker

BELLES

DC  
DOUBLE  
CORE







**WILD BELLE 78 CA**

anthracite / aqua  
**0A3558 SA 001**  
 TP2 Compact 10 FDT

**sizes:**  
 138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
 123-78-102 (138) · 124-78-103 (144) ·  
 125-78-104 (150) · 126-78-105 (156) ·  
 127-78-106 (162) · 128-78-107 (168)  
**radius (by size):**  
 10,7 (138) · 11,5 (144) · 12,2 (150) ·  
 12,8 (156) · 13,7 (162) · 14,5 (168)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate Short  
**ski construction:**  
 Energy CA  
**camRock:**  
 On Piste Rocker



**BELLE 72 CA**

grey / gold  
**0A3560 SA 001**  
 TP2 Compact 10 FDT

**sizes:**  
 138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
 117-72-96 (138) · 118-72-97 (144) ·  
 119-72-98 (150) · 120-72-99 (156) ·  
 121-72-100 (162) · 122-72-101 (168)  
**radius (by size):**  
 10,7 (138) · 11,5 (144) · 12,2 (150) ·  
 12,8 (156) · 13,7 (162) · 14,5 (168)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate Short  
**ski construction:**  
 Energy CA  
**camRock:**  
 On Piste Rocker



**BELLE 75**

turquoise / white  
**0A3562 SA 001**  
 TP2 Compact 10 FDT

**sizes:**  
 138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
 123-75-103 (144-150) ·  
 124-75-104 (156-162) ·  
 125-75-105 (168)  
**radius (by size):**  
 10 (138) · 11 (144) · 12 (150) ·  
 12,5 (156) · 13,5 (162) · 14,5 (168)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate Short  
**ski construction:**  
 Composite Wood Partial SW  
**camRock:**  
 On Piste Rocker



**WILD BELLE 74**

grey / white  
**0A3564 SA 001**  
 TP2 Compact 10 FDT

**sizes:**  
 138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
 123-75-103 (144-150) ·  
 124-75-104 (156-162) ·  
 125-75-105 (168)  
**radius (by size):**  
 10 (138) · 11 (144) · 12 (150) ·  
 12,5 (156) · 13,5 (162) · 14,5 (168)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate Short  
**ski construction:**  
 Composite Wood Partial SW  
**camRock:**  
 On Piste Rocker



**BELLE 73**

grey / aqua  
**0A3566 SA 001**  
 TP2 Compact 10 FDT


**sizes:**  
 138 · 144 · 150 · 156 · 162 · 168  
**sidecut (by size):**  
 117-73-94 (138) · 119-73-96 (144) ·  
 121-73-98 (150) · 122-73-100 (156) ·  
 123-73-101 (162) · 124-73-101 (168)  
**radius (by size):**  
 11,5 (138) · 12 (144) · 12,5 (150) ·  
 13 (156) · 13,7 (162) · 14,6 (168)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate Short  
**ski construction:**  
 Composite Wood  
**camRock:**  
 On Piste Rocker



**STEADFAST 85 DC FDT**

black / red  
**0A3570 NB 001**  
 TPX 12 FDT

**sizes:**  
 162 · 168 · 174 · 179  
**sidecut (by size):**  
 133-84-112 (162) · 134-84-113 (168) ·  
 136-85-115 (174) · 137-85-116 (179)  
**radius (by size):**  
 13,7 (162) · 14,5 (168) ·  
 15,3 (174) · 15,8 (179)  
**DIN setting:**  
 4-12 TC  
**system:**  
 FDT HP Free Demo Plate  
**ski construction:**  
 Energy TI Double Core  
**camRock:**  
 On Piste Rocker



**STEADFAST 80 CA FDT**

black / silver  
**0A3572 OB 001**  
 TP2 Light 11 FDT

**sizes:**  
 156 · 162 · 168 · 174  
**sidecut (by size):**  
 126-78-105 (156) · 127-78-106 (162) ·  
 128-78-107 (168) · 131-80-110 (174)  
**radius (by size):**  
 12,8 (156) · 13,7 (162) ·  
 14,5 (168) · 15,3 (174)  
**DIN setting:**  
 3-11 TC  
**system:**  
 FDT Free Demo Plate  
**ski construction:**  
 Energy CA  
**camRock:**  
 On Piste Rocker



**STEADFAST 75 CA FDT**

blue / red  
**0A3573 SA 001**  
 TP2 Compact 10 FDT

**sizes:**  
 150 · 156 · 162 · 168 · 174  
**sidecut (by size):**  
 123-75-103 (150) ·  
 124-75-104 (156-162) ·  
 125-75-105 (168-174)  
**radius (by size):**  
 12 (150) · 12,5 (156) · 13,5 (162) ·  
 14,5 (168) · 15,5 (174)  
**DIN setting:**  
 3-10 ML  
**system:**  
 FDT Free Demo Plate  
**ski construction:**  
 Composite Wood Partial SW  
**camRock:**  
 On Piste Rocker







**ENFORCER UNLIMITED 104**

blue / grey  
0A2290 00 001

**sizes:**  
165 · 172 · 179 · 186 · 191

**sidecut (by size):**  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179) ·  
135-104-124 (186-191)

**radius (by size):**  
16 (165) · 16,5 (172) · 17,5 (179) ·  
18,5 (186) · 19,5 (191)

**ski construction:**  
Carbon SW

**camRock:**  
Powder Rocker Profile



**ENFORCER UNLIMITED 94**

red / grey  
0A2291 00 001

**sizes:**  
158 · 165 · 172 · 179 · 186

**sidecut (by size):**  
125-93-112 (158) ·  
125,5-94-112,5 (165) ·  
126,5-94-114,5 (172) ·  
127-94-115,5 (179) ·  
127,5-94-115,5 (186)

**radius (by size):**  
14,4 (158) · 15,5 (165) · 16,1 (172) ·  
17,1 (179) · 18,2 (186)

**ski construction:**  
Carbon SW

**camRock:**  
All Mountain Rocker Profile



**ENFORCER UNLIMITED 88**

sand / grey  
0A2292 00 001

**sizes:**  
158 · 165 · 172 · 179

**sidecut (by size):**  
118,5-88-106,5 (158) ·  
119-88-107 (165) ·  
121-88-109 (172) ·  
121,5-88-109,5 (179)

**radius (by size):**  
14 (158) · 15 (165) ·  
15,5 (172) · 16,5 (179)

**ski construction:**  
Carbon SW

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA UNLIMITED 104**

maroon / peach  
0A2295 00 001

**sizes:**  
158 · 165 · 172 · 179

**sidecut (by size):**  
132-104-121 (158) ·  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179)

**radius (by size):**  
15,5 (158) · 16 (165) ·  
16,5 (172) · 17,5 (179)

**ski construction:**  
Carbon SW

**camRock:**  
Powder Rocker Profile



**SANTA ANA UNLIMITED 93**

sage / peach  
0A2293 00 001

**sizes:**  
151 · 158 · 165 · 172

**sidecut (by size):**  
124,5-93-111,5 (151) ·  
125-93-112 (158) ·  
125,5-93-112,5 (165) ·  
126,5-93-114,5 (172)

**radius (by size):**  
13,3 (151) · 14,4 (158) ·  
15,5 (165) · 16,1 (172)

**ski construction:**  
Carbon SW

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA UNLIMITED 88**

maroon / smoke  
0A2294 00 001

**sizes:**  
151 · 158 · 165 · 172

**sidecut (by size):**  
118-88-106 (151) ·  
118,5-88-106,5 (158) ·  
119-88-107 (165) ·  
121-88-109 (172)

**radius (by size):**  
13 (151) · 14 (158) ·  
15 (165) · 15,5 (172)

**ski construction:**  
Carbon SW

**camRock:**  
All Mountain Rocker Profile







**ENFORCER FREE 110 (FLAT)**

black / black  
0A3582 00 001

**sizes:**  
169 · 177 · 185 · 191  
**sidecut (by size):**  
139-110-128 (169) ·  
140-110-129 (177-191)  
**radius (by size):**  
15,5 (169) · 16,5 (177) ·  
18,5 (185) · 20,5 (191)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Powder Rocker Profile



**ENFORCER FREE 104 (FLAT)**

blue / black  
0A3583 00 001

**sizes:**  
165 · 172 · 179 · 186 · 191  
**sidecut (by size):**  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179) ·  
135-104-124 (186-191)  
**radius (by size):**  
16 (165) · 16,5 (172) ·  
17,5 (179) · 18,5 (186) ·  
19,5 (191)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Powder Rocker Profile



**ENFORCER 100 (FLAT)**

red / black  
0A3584 00 001

**sizes:**  
165 · 172 · 179 · 186 · 191  
**sidecut (by size):**  
131-100-118 (165) ·  
132-100-120 (172) ·  
132,5-100-120,5 (179) ·  
133-100-121 (186) ·  
133,5-100-121,5 (191)  
**radius (by size):**  
15,6 (165) · 16,3 (172) ·  
17,3 (179) · 18,4 (186) ·  
19,4 (191)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
All Mountain Rocker Profile



**ENFORCER 94 (FLAT)**

grey / red  
0A3585 00 001

**sizes:**  
165 · 172 · 179 · 186 · 191  
**sidecut (by size):**  
125,5-94-112,5 (165) ·  
126,5-94-114,5 (172) ·  
127-94-115,5 (179) ·  
127,5-94-115,5 (186) ·  
128-94-116 (191)  
**radius (by size):**  
15,5 (165) · 16,1 (172) ·  
17,1 (179) · 18,2 (186) ·  
19,1 (191)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
All Mountain Rocker Profile



**ENFORCER 88 (FLAT)**

blue / grey  
0A3586 00 001

**sizes:**  
165 · 172 · 179 · 186  
**sidecut (by size):**  
119-88-107 (165) ·  
121-88-109 (172) ·  
121,5-88-109,5 (179) ·  
122-88-110 (186)  
**radius (by size):**  
15 (165) · 15,5 (172) ·  
16,5 (179) · 17,5 (186)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
All Mountain Rocker Profile







**SANTA ANA FREE  
104 (FLAT)**

teal / rust  
0A3588 00 001

**sizes:**  
158 · 165 · 172 · 179

**sidecut (by size):**  
132-104-121 (158) ·  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179)

**radius (by size):**  
15,5 (158) · 16 (165) ·  
16,5 (172) · 17,5 (179)

**ski construction:**  
Energy TI W

**camRock:**  
Powder Rocker Profile



**SANTA ANA  
98 (FLAT)**

midnight rose / blue  
0A3589 00 001

**sizes:**  
151 · 158 · 165 · 172 · 179

**sidecut (by size):**  
130-98-117 (151) ·  
130,5-98-117,5 (158) ·  
131-98-118 (165) ·  
132-98-120 (172) ·  
132,5-98-120,5 (179)

**radius (by size):**  
13,4 (151) · 14,5 (158) · 15,6 (165) ·  
16,3 (172) · 17,3 (179)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA  
93 (FLAT)**

blue / white  
0A3590 00 001

**sizes:**  
151 · 158 · 165 · 172 · 179

**sidecut (by size):**  
124,5-93-111,5 (151) ·  
125-93-112 (158) ·  
125,5-93-112,5 (165) ·  
126,5-93-114,5 (172) ·  
127-93-115,5 (179)

**radius (by size):**  
13,4 (151) · 14,4 (158) · 15,5 (165) ·  
16,3 (172) · 17,1 (179)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA  
88 (FLAT)**

pink / metallic green  
0A3591 00 001

**sizes:**  
151 · 158 · 165 · 172

**sidecut (by size):**  
118-88-106 (151) ·  
118,5-88-106,5 (158) ·  
119-88-107 (165) ·  
121-88-109 (172)

**radius (by size):**  
13 (151) · 14 (158) ·  
15 (165) · 15,5 (172)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA  
84 (FLAT)**

steel / light blue  
0A3592 00 001

**sizes:**  
144 · 151 · 158 · 165 · 172

**sidecut (by size):**  
118-84-103 (144) ·  
119-84-104 (151) ·  
120-84-105 (158-165) ·  
123-84-108 (172)

**radius (by size):**  
12 (144) · 13 (151) · 14 (158) ·  
15 (165) · 15,5 (172)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile







**UNLEASHED 114 (FLAT)**

red / black / blue  
0A3595 00 001

**sizes:**  
174 · 180 · 186 · 191  
**sidecut (by size):**  
144,5-114-133,5 (174) ·  
145,5-114-134,5 (180) ·  
146-114-135 (186) ·  
147-114-136 (191)  
**radius (by size):**  
18,3 (174) · 19,4 (180) ·  
20,4 (186) · 21,1 (191)  
**ski construction:**  
Energy TSM TI  
**camRock:**  
Powder Rocker Profile



**UNLEASHED 108 (FLAT)**

silver / black / rust  
0A3596 00 001

**sizes:**  
174 · 180 · 186 · 191  
**sidecut (by size):**  
139,5-108-128,5 (174) ·  
140,5-108-129,5 (180) ·  
141-108-130 (186) ·  
142-108-131 (191)  
**radius (by size):**  
18,3 (174) · 19 (180) ·  
19,7 (186) · 20,5 (191)  
**ski construction:**  
Energy TSM TI  
**camRock:**  
Powder Rocker Profile



**UNLEASHED 98 (FLAT)**

blue / black / silver  
0A3597 00 001

**sizes:**  
168 · 174 · 180 · 186  
**sidecut (by size):**  
131-98-120 (168) ·  
132-98-121 (174) ·  
133-98-122 (180) ·  
134-98-123 (186)  
**radius (by size):**  
16,7 (168) · 17,4 (174) ·  
18,1 (180) · 18,8 (186)  
**ski construction:**  
Energy TSM TI  
**camRock:**  
Powder Rocker Profile



**UNLEASHED 108 (FLAT)**

orange / violet  
0A3598 00 001

**sizes:**  
162 · 168 · 174 · 180  
**sidecut (by size):**  
137,5-108-126,5 (162) ·  
138,5-108-127,5 (168) ·  
139,5-108-128,5 (174) ·  
140,5-108-129,5 (180)  
**radius (by size):**  
16,8 (162) · 17,5 (168) ·  
18,3 (174) · 19 (180)  
**ski construction:**  
Energy TSM TI  
**camRock:**  
Powder Rocker Profile



**UNLEASHED 98 (FLAT)**

purple ice / orange  
0A3599 00 001

**sizes:**  
156 · 162 · 168 · 174  
**sidecut (by size):**  
129-98-118 (156) ·  
130-98-119 (162) ·  
131-98-120 (168) ·  
132-98-121 (174)  
**radius (by size):**  
15,3 (156) · 16 (162) ·  
16,7 (168) · 17,4 (174)  
**ski construction:**  
Energy TSM TI  
**camRock:**  
Powder Rocker Profile







**UNLEASHED 90 (FLAT)**

rust / black / blue  
**0A3625 00 001**

**sizes:**  
144 · 152 · 160 · 168 · 174

**sidecut (by size):**  
120-90-109 (144) ·  
121-90-110 (152) ·  
122-90-111 (160) ·  
123-90-112 (168) ·  
124-90-113 (174)

**radius (by size):**  
13,2 (144) · 14,3 (152) ·  
15,4 (160) · 16,6 (168) ·  
17,4 (174)

**ski construction:**  
Energy CA

**camRock:**  
Powder Rocker Profile



**UNLEASHED 90 (FLAT)**

teal / white / pink  
**0A3626 00 001**

**sizes:**  
144 · 152 · 160 · 168

**sidecut (by size):**  
120-90-109 (144) ·  
121-90-110 (152) ·  
122-90-111 (160) ·  
123-90-112 (168)

**radius (by size):**  
13,2 (144) · 14,3 (152) ·  
15,4 (160) · 16,6 (168)

**ski construction:**  
Energy CA

**camRock:**  
Powder Rocker Profile



**ENFORCER 80 S (FLAT)**

red / black  
**0A3627 00 001**

**sizes:**  
120 · 130 · 140 ·  
150 · 160

**sidecut (by size):**  
105,5-78-90,5 (120) ·  
108-78-93 (130) ·  
111,5-78-96,5 (140) ·  
114-80-99 (150) ·  
116,5-80-101,5 (160)

**radius (by size):**  
11,5 (120) · 12,5 (130) ·  
13 (140) · 14 (150) ·  
15 (160)

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile



**SANTA ANA 80 S (FLAT)**

pink / metallic green  
**0A3628 00 001**

**sizes:**  
120 · 130 · 140 ·  
150 · 160

**sidecut (by size):**  
105,5-78-90,5 (120) ·  
108-78-93 (130) ·  
111,5-78-96,5 (140) ·  
114-80-99 (150) ·  
116,5-80-101,5 (160)

**radius (by size):**  
11,5 (120) · 12,5 (130) ·  
13 (140) · 14 (150) ·  
15 (160)

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile



**UNLEASHED J FDT**

blue / red  
**0A3612 MG 001**  
JR 7.0 FDT WB

**sizes:**  
108 · 118 · 128 · 138 · 148

**sidecut (by size):**  
99-72-90 (108) ·  
105-74-96 (118-128) ·  
109-76-99 (138-148)

**radius (by size):**  
8 (108) · 9 (118) · 11 (128) ·  
12 (138) · 14 (108)

**DIN setting:**  
2-7 EPS

**system:**  
FDT JR RTL S + RS (108-118) ·  
FDT JR RTL L + RS (128-148)

**ski construction:**  
Composite Partial SW

**camRock:**  
Twin Rocker Profile



**DOBERMANN COMBI PRO S**

black / red  
**0A3610 ME 001** JR 7.0 FDT (sizes 100-162)  
**0A3611 MF 001** JR 4.5 FDT (sizes 100-130)

**sizes:**  
100 · 110 · 120 · 130 · 140 · 150 · 162 (7.0 FDT)  
100 · 110 · 120 · 130 (4.5 FDT)

**sidecut (by size):**  
104-69-91 (100) · 106-69-91 (110) ·  
111-69-91 (120) · 113-69-93 (130) ·  
116-70-96 (140) · 118-70-98 (150) ·  
119-71-99 (162)

**radius (by size):**  
7 (100) · 8 (110) · 9 (120) · 10 (130) ·  
11 (140) · 12 (150) · 14,5 (162)

**DIN setting:**  
2-7 EPS (7.0 FDT) ·  
0,75-4,5 EPS (4.5 FDT)

**system:**  
FDT JR RTL S + RS (100-110) ·  
FDT JR RTL L + RS (120-162)

**ski construction:**  
Energy CA

**camRock:**  
Full Camber Profile



**TEAM AM FDT**

red / black  
**0A2337 ME 001** JR 7.0 FDT (sizes 110-150)  
**0A2338 MF 001** JR 4.5 FDT (sizes 100-140)  
**0A2339 MF 001** JR 4.5 FDT (sizes 70-90)

**sizes:**  
110 · 120 · 130 · 140 · 150 (0A2337 ME)  
100 · 110 · 120 · 130 · 140 (0A2338 MF)  
70 · 80 · 90 (0A2339 MF)

**sidecut (by size):**  
102-67-89 (70-90) · 104-67-93 (100-110) ·  
106-67-95 (120-140) · 113-70-99 (150)

**radius (by size):**  
3 (70) · 4 (80) · 5 (90) ·  
6 (100) · 7 (110) · 8 (120) ·  
10 (130) · 12 (140) · 13 (150)

**DIN setting:**  
2-7 EPS (7.0 FDT) ·  
0,75-4,5 EPS (4.5 FDT)

**system:**  
FDT JR RTL S + RS (70-110) ·  
FDT JR RTL L + RS (120-150)

**ski construction:**  
Composite

**camRock:**  
On Piste Rocker Profile



**TEAM G FDT**

teal / white / pink  
**0A2341 ME 001** JR 7.0 FDT (sizes 110-140)  
**0A2342 MF 001** JR 4.5 FDT (sizes 100-140)  
**0A2343 MF 001** JR 4.5 FDT (sizes 70-90)

**sizes:**  
110 · 120 · 130 · 140 (0A2341 ME)  
100 · 110 · 120 · 130 · 140 (0A2342 MF)  
70 · 80 · 90 (0A2343 MF)

**sidecut (by size):**  
102-67-89 (70-90) · 104-67-93 (100-110) ·  
106-67-95 (120-140)

**radius (by size):**  
3 (70) · 4 (80) · 5 (90) ·  
6 (100) · 7 (110) · 8 (120) ·  
10 (130) · 12 (140)

**DIN setting:**  
2-7 EPS (7.0 FDT) ·  
0,75-4,5 EPS (4.5 FDT)

**system:**  
FDT JR RTL S + RS (70-110) ·  
FDT JR RTL L + RS (120-140)

**ski construction:**  
Composite

**camRock:**  
On Piste Rocker Profile



**TEAM JR FDT**

grey / red  
**0A1344 ME 001** JR 7.0 FDT (sizes 110-150)  
**0A1345 MF 001** JR 4.5 FDT (sizes 100-140)  
**0A1346 MF 001** JR 4.5 FDT (sizes 70-90)

**sizes:**  
110 · 120 · 130 · 140 · 150 (0A1344 ME)  
100 · 110 · 120 · 130 · 140 (0A1345 MF)  
70 · 80 · 90 (0A1346 MF)

**sidecut (by size):**  
102-67-89 (70-90) · 104-67-93 (100-110) ·  
106-67-95 (120-140) · 113-70-99 (150)

**radius (by size):**  
3 (70) · 4 (80) · 5 (90) ·  
6 (100) · 7 (110) · 8 (120) ·  
10 (130) · 12 (140) · 13 (150)

**DIN setting:**  
2-7 EPS (7.0 FDT) ·  
0,75-4,5 EPS (4.5 FDT)

**system:**  
FDT JR RTL S + RS (70-110) ·  
FDT JR RTL L + RS (120-150)

**ski construction:**  
Composite

**camRock:**  
On Piste Rocker Profile







**DOBERMANN DH  
WC DEPT EDT PLATE**

black / red  
0A1202 00 001

**sizes:**  
212 - 218  
**sidecut (by size):**  
R&D  
**radius (by size):**  
≥50  
**system:**  
Speed Plate EDT  
**ski construction:**  
Energy 2 TI Worldcup  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 24 0C0160 00 001  
X-COMP 18 0C0162 00 001



**DOBERMANN SG  
WC DEPT EDT PLATE**

black / red  
0A1204 00 001

**sizes:**  
185 - 195 - 202 - 205 - 212  
**sidecut (by size):**  
R&D  
**radius (by size):**  
≥30 (185) - ≥33 (195) - ≥35 (202) -  
≥40 (205) - ≥45 (212)  
**system:**  
Speed Plate EDT  
**ski construction:**  
Energy 2 TI Worldcup  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 24 0C0160 00 001  
X-COMP 18 0C0162 00 001



**DOBERMANN  
GS WC DEPT PLATE**

black / red  
0A1206 00 001

**sizes:**  
188 - 193  
**sidecut (by size):**  
R&D  
**radius (by size):**  
≥30  
**system:**  
Piston Plate  
**ski construction:**  
Energy 2 TI Worldcup  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 24 0C0160 00 001  
X-COMP 18 0C0162 00 001



**DOBERMANN  
SL WC DEPT PLATE**

black / red  
0A1208 00 001

**sizes:**  
156 - 165  
**sidecut (by size):**  
R&D  
**radius (by size):**  
R&D  
**system:**  
Piston Plate 14mm  
**ski construction:**  
Energy 2 TI Worldcup  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 24 0C0164 00 001  
X-COMP 18 0C0162 00 001



**DOBERMANN  
SL WC PLATE**

black / red  
0A1214 00 001

**sizes:**  
156 - 165  
**sidecut (by size):**  
R&D  
**radius (by size):**  
R&D  
**system:**  
Piston Plate  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 16 0C0164 00 001  
X-COMP 12 0C0166 00 001



**DOBERMANN  
GS RACE PLATE**

black / red  
0A2218 00 001

**sizes:**  
178 - 183 - 188  
**sidecut (by size):**  
R&D  
**radius (by size):**  
≥23 (178) - ≥23 (183) -  
≥25 (188)  
**system:**  
Piston Plate  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 16 0C0164 00 001  
X-COMP 12 0C0166 00 001



**DOBERMANN  
SL RACE PLATE**

black / red  
0A1218 00 001

**sizes:**  
149  
**sidecut (by size):**  
112,5-65-97,5  
**radius (by size):**  
≥12  
**system:**  
Piston Plate  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
X-COMP 12 0C0166 00 001



**DOBERMANN  
GS J PLATE**

black / red  
0A1220 00 001

**sizes:**  
136 - 143 - 150 -  
157 - 164 - 171  
**sidecut (by size):**  
103-65-84,5 (136) -  
103,5-65-85 (143) -  
104,5-65-86 (150) -  
104-65-87 (157) -  
105-65-88 (164-171)  
**radius (by size):**  
≥14 (136) - ≥14 (143) -  
≥14 (150) - ≥17 (157) -  
≥17 (164) - ≥17 (171)  
**system:**  
Junior Racing Plate New  
S (136-150) - L (157-171)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
RACE 10 TCX 0C0172 00 001  
RACE 10 0C0168 00 001  
RACE 8 0C0170 00 001



**DOBERMANN  
SJ J PLATE**

black / red  
0A0222 00 001

**sizes:**  
121 - 128 - 135 -  
142 - 149  
**sidecut (by size):**  
105-64-90 (122) -  
109-64-94 (129-136) -  
112-65-97 (143) -  
113-65-98 (150)  
**radius (by size):**  
≥9 (121) - ≥9 (128) -  
≥10 (135) - ≥10 (142) -  
≥11 (149)  
**system:**  
Junior Racing Plate New  
S (121-135) - L (142-149)  
**ski construction:**  
Energy 2 TI  
**camRock:**  
Full Camber Profile  
**suggested bindings:**  
RACE 10 TCX 0C0172 00 001  
RACE 10 0C0168 00 001  
RACE 8 0C0170 00 001



## SKI BOOTS / RENTAL



**soles:**  
5355 Alpine High Traction or Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
100	110

**size range** g/MP 26,5  
24,0-31,0 1920  
1900 (GW)

**liner type/style:**  
3D Hygienical Fit

**technologies:**  
Infrared  
Tri-Force Construction  
Strap 35mm  
GS Adjustable Cuff  
Ratchet and  
4 Alu Micro Buckles

### SPEEDMACHINE 3 110 R GW

050G40 00 3L2 anthracite / black / red  
050G40 00 3L2 GRIPWALK® SOLES

INFRARED FULL PU ★★★★★



**soles:**  
5355 Alpine High Traction or Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
100	95

**size range** g/MP 24,5  
22,0-27,5 1720  
1700 (GW)

**liner type/style:**  
3D Hygienical Fit W

**technologies:**  
Infrared  
Tri-Force Construction  
Strap 35mm  
GS Adjustable Cuff  
Ratchet and  
4 Alu Micro Buckles

### SPEEDMACHINE 3 95 W R GW

050G41 00 Q04 black / white / green  
050G41 00 Q04 GRIPWALK® SOLES

INFRARED FULL PU ★★★★★



**soles:**  
5355 Alpine High Traction or Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	90

**size range** g/MP 26,5  
22,5-27,5 1960  
1980 (GW)

**liner type/style:**  
Hygienical Comfort Fit

**technologies:**  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu

### SPORTMACHINE 3 90 R GW

050T26 00 M99 anthracite / black / red  
050T26 00 M99 GRIPWALK® SOLES

INFRARED TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction or Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	75

**size range** g/MP 24,5  
22,5-27,5 1820  
1800 (GW)

**liner type/style:**  
Hygienical Comfort Fit W

**technologies:**  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu

### SPORTMACHINE 75 W R GW

050T27 00 047 anthracite / black / green  
050T27 00 047 GRIPWALK® SOLES

INFRARED TRIAX PU ★★★★★

## SKI BOOTS / RENTAL



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
104	70

**size range** g/MP 26,5  
22,5-32,5 1935

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Instep Volume Control (IVC)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

### THE CRUISE 70 R

050684 02 P46 anthracite / red

TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
104	65

**size range** g/MP 24,5  
22,5-27,5 1790

**liner type/style:**  
Comfort RTL Antibacterial W

**technologies:**  
Instep Volume Control (IVC)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

### THE CRUISE 65 W R

050686 02 Q04 black / white / green

TRIAX PU ★★★★★



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	90

**size range** g/MP 26,5  
24,0-31,0 1750

**liner type/style:**  
HF 3D Hygienical Comfort Fit

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

### HF 90 R GW

050K30 00 3F1 black / red / anthracite

HANDS FREE INFRARED PRIMALOFT FULL PU ★★★★★



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
102	75

**size range** g/MP 24,5  
23,0-27,5 1740

**liner type/style:**  
HF 3D Hygienical Comfort Fit W

**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

### HF 75 W R GW

050K31 00 7T6 black / white / light blue

HANDS FREE INFRARED PRIMALOFT FULL PU ★★★★★



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
104	80

**size range** g/MP 26,5  
24,0-32,5 2050

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

### THE CRUISE 90 R GW

050678 02 M99 anthracite / black / red

FULL TRIAX PU ★★★★★



**soles:**  
Gripwalk® soles

<b>last (mm)</b>	<b>flex</b>
104	75

**size range** g/MP 24,5  
22,5-27,5 1890

**liner type/style:**  
Comfort RTL Antibacterial W

**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

### THE CRUISE 75 W R GW

050682 00 223 anthracite / white / green

FULL TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
100	60

**size range** g/MP 25,5  
19,0-27,5 1650

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Micro Adj Buckles  
Easy Entry Soft Flap  
Hot Stamped Size &Length

### SPEEDMACHINE J4 R

050738 00 M99 anthracite / black / red

TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
100	45

**size range** g/MP 21,5  
20,0-26,5 1060

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster  
Hot Stamped Size &Length

### SPEEDMACHINE J3 R

050880 00 M99 anthracite / black / red

TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
100	45

**size range** g/MP 18,5  
16,5-23,5 810

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster  
Hot Stamped Size &Length

### SPEEDMACHINE J2 R

050882 00 M99 anthracite / black / red

TRIAX PU ★★★★★



**soles:**  
5355 Alpine High Traction

<b>last (mm)</b>	<b>flex</b>
100	25

**size range** g/MP 16,5  
14,5-19,5 710

**liner type/style:**  
Comfort RTL Antibacterial

**technologies:**  
Ratchet  
Hot Stamped Size &Length

### SPEEDMACHINE J1 R

050884 00 M99 anthracite / black / red

TRIAX PU ★★★★★







**ALLDRIVE 84 FDT**

grey / blue / red  
0A1363 SA 001  
TP2 Compact 10 FDT

**sizes:**  
136 · 142 · 150 · 158 · 166 · 174 · 180

**sidecut (by size):**  
127-82-105 (136) · 128-82-106 (142) · 129-82-107 (150) · 133-84-111 (158) · 134-84-112 (166) · 135-84-113 (174) · 136-84-114 (180)

**radius (by size):**  
11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166) · 15,5 (174) · 16,5 (180)

**DIN setting:**  
3-10 ML

**system:**  
FDT Freeride Plate + RS

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile



**ALLDRIVE W 82 FDT**

grey / teal  
0A1365 SA 002  
TP2 Compact 10 FDT

**sizes:**  
136 · 142 · 150 · 158 · 166

**sidecut (by size):**  
127-82-105 (136) · 128-82-106 (142) · 129-82-107 (150) · 133-84-111 (158) · 134-84-112 (166)

**radius (by size):**  
11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166)

**DIN setting:**  
3-10 ML

**system:**  
FDT Freeride Plate + RS

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile



**ALLDRIVE 76 FDT**

grey / white / blue  
0A1369 SA 001  
TP2 Compact 10 FDT

**sizes:**  
136 · 142 · 150 · 158 · 166 · 174

**sidecut (by size):**  
120-76-97 (136) · 121-76-98 (142) · 122-76-99 (150) · 124-76-101 (158) · 125-76-102 (166) · 126-76-103 (174)

**radius (by size):**  
11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166) · 15,5 (174)

**DIN setting:**  
3-10 ML

**system:**  
FDT RTL Plate + RS

**ski construction:**  
Energy CA

**camRock:**  
On Piste Rocker Profile



**ALLDRIVE 74 FDT**

grey / red  
0A1381 SA 002  
TP2 Compact 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168 · 174

**sidecut (by size):**  
117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) · 122,5-73-100 (156) · 123,5-73-101 (162) · 124-73-101 (168) · 124,5-73-102 (174)

**radius (by size):**  
11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) · 13,7 (162) · 14,6 (168) · 15,5 (174)

**DIN setting:**  
3-10 ML

**system:**  
FDT RTL Plate + RS

**ski construction:**  
Composite Wood

**camRock:**  
On Piste Rocker Profile



**ALLDRIVE W 74 FDT**

grey / white  
0A1422 SB 001  
TP2 Compact 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168 · 174

**sidecut (by size):**  
117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) · 122,5-73-100 (156) · 123,5-73-101 (162) · 124-73-101 (168) · 124,5-73-102 (174)

**radius (by size):**  
11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) · 13,7 (162) · 14,6 (168) · 15,5 (174)

**DIN setting:**  
3-10 ML

**system:**  
FDT RTL Plate + RS

**ski construction:**  
Composite Wood

**camRock:**  
On Piste Rocker Profile



**SPITFIRE 75 R FDT**

red / black  
0A2376 SA 001  
TP2 Compact 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168 · 174

**sidecut (by size):**  
123-75-103 (144-150) · 124-75-104 (156-162) · 125-75-105 (168-174)

**radius (by size):**  
10 (138) · 11 (144) · 12 (150) · 12,5 (156) · 13,5 (162) · 14,5 (168) · 15,5 (174)

**DIN setting:**  
3-10 ML

**system:**  
FDT Free Demo Plate Short

**ski construction:**  
Composite Wood Partial SW

**camRock:**  
On Piste Rocker Profile



**SPITFIRE 73 R FDT**

blue / black  
0A2380 SA 001  
TP2 Compact 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168 · 174

**sidecut (by size):**  
117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) · 122,5-73-100 (156) · 123,5-73-101 (162) · 124-73-101 (168) · 124,5-73-102 (174)

**radius (by size):**  
11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) · 13,7 (162) · 14,6 (168) · 15,5 (174)

**DIN setting:**  
3-10 ML

**system:**  
FDT RTL Plate + RS

**ski construction:**  
Composite Wood

**camRock:**  
On Piste Rocker Profile





## ACCESSORIES / BAGS

made by **invicta**  
SINCE 1964



**RACE XL GEAR  
PACK DOBERMANN**  
ON3041 03 741 black / red



**RACE XL JR GEAR  
PACK DOBERMANN**  
ON3042 03 741 black / red



**RACE XL DUFFLE  
ROLLER DOBERMANN**  
ON3043 01 741 black / red



**BUSINESS  
TROLLEY**  
ON3046 02 100 black / red



**PRO  
BACKPACK**  
ON3052 00 741 black / red



**BOOT BAG  
LITE**  
ON3037 03 001 black / red



**SKI BAG LITE**  
ON3038 01 741 black / red



**SINGLE SKI BAG**  
ON3017 02 741 black / red



**BOOT BACKPACK**  
ON3015 03 001 black / red



**BOOT BAG**  
ON3014 03 001 black / red



**3 PAIR SKI BAG**  
GS RACE SKI BAG 3 PAIR - ON3034 00 741 black / red  
DH RACE SKI BAG 3 PAIR - ON3035 00 741 black / red



**DOUBLE ROLLER SKI BAG**  
ON3018 02 741 black / red



**TREND BACKBAG**  
ON3053 00 741 black / red  
\* not made by Invicta



**12MTRAVEL BAG**  
ON3048 00 001 black  
\* not made by Invicta

## ACCESSORIES / POLES

made by **KOMPERDELL**



**DOBERMANN RACE**  
black / red  
OB0828 01 001



**DOBERMANN JR RACE**  
black / red  
OB0830 01 001



**ALPINE TI MAN**  
anthracite / grey  
OB0808 00 002



**ALPINE TI WOMAN**  
anthracite / aqua  
OB0810 00 002



**FREERIDE PRO MAN**  
black / red  
OB0805 01 001



**FREERIDE PRO WOMAN**  
black / teal  
OB0805 02 001



**FREERIDE UNLIMITED**  
black / red  
OB0840 00 001

made by **FIZAN**



**ALPINE PERFORMANCE**  
red / black  
OB0824 00 764 prepack 25



**PRIMO UNI**  
white OB0814 01 001  
grey OB0814 01 002



**JUNIOR**  
red / black  
OB0818 00 002



**JUNIOR GIRL**  
green / white  
OB0820 00 002

## ACCESSORIES / GLOVES

made by **LEVEL**



**NORDICA ENFORCER PRO**  
black  
OW2607 00 100



**NORDICA COACH**  
black / red  
OW2608 00 741



**NORDICA PRO RIDER**  
grey / red  
OW2609 00 744



**NORDICA RANGER**  
black / sand  
OW2610 00 001



**NORDICA ALPER LIGHT**  
black / grey  
OW2611 00 001



## ACCESSORIES / SOCKS

made by **INTERSOCKS**



### DOBERMANN

OW3007 01 001 black



### HIGH PERFORMANCE MAN

OW3010 00 741 black / anthracite / red  
OW3010 00 821 red / black / anthracite



### HIGH PERFORMANCE W

OW3003 00 101 black / anthracite / emerald  
OW3003 00 9M3 black / anthracite / purple



### SPEEDMACHINE 3

OW3009 00 001 black / red



### SOCKS LITE

OW3013 01 001 black / grey  
OW3013 01 002 grey / black

NEW



### UNLIMITED

OW3014 00 001 black / petrol green  
OW3014 00 002 white / teal

NEW



### TECH JUNIOR

OW3012 00 N16 black / red  
OW3012 00 774 black / anthracite



### HF

OW3008 01 001 black / red  
OW3008 01 002 grey / anthracite

NEW



### UNI 2-PACK

OW3011 02 001 grey / red + black / red  
OW3011 02 002 grey / anthracite + black / anthracite

NEW

## ACCESSORIES / CLIMBING SKINS

made by **KOHLA TIROL**



### UNLIMITED SKIN

OB2050 00 001 Unlimited 104 skin · OB2051 00 001 Unlimited 94 skin ·  
OB2052 00 001 Unlimited 88 skin



## ACCESSORIES / BINDINGS

made by **MARKER**



**X-COMP 24** OC0160 00 001  
**X-COMP 18** OC0162 00 001

DIN configuration: 12.0-24.0 (24) · 8.0-18.0 (18)



**X-COMP 16** OC0164 00 001  
**X-COMP 12** OC0166 00 001

DIN configuration: 6.0-16.0 (16) · 4.0-12.0 (12)



**RACE 10 TCX**  
OC0172 00 001

DIN configuration: 3.0-10.0



**RACE 10** OC0168 00 001  
**RACE 8** OC0170 00 001

DIN configuration: 3.0-10.0 (10) · 2.0-8.0 (8)



**JESTER 18 PRO ID**  
OC3217 00 001 (110mm) ·  
OC3219 00 001 (120mm)

DIN configuration: 8.0-18.0



**JESTER 16 ID**  
OC3216 00 001 (100mm) ·  
OC3218 00 001 (110mm)

DIN configuration: 6.0-16.0



### GRIFFON 13 TCX D

OC0198 00 001 (90mm) ·  
OC0200 00 001 (110mm)

DIN configuration: 4.0-13.0

DEMO READY



### GRIFFON 13 ID

OC0186 00 001 (100mm) · OC0188 00 001  
(110mm) · OC0190 00 001 (120mm)

DIN configuration: 4.0-13.0



### GRIFFON 13 D

OC0192 00 001 (90mm) · OC0194 00 001  
(100mm) · OC0197 00 001 (110mm)

DIN configuration: 4.0-13.0

DEMO READY



### SQUIRE 11 TCX D

OC1206 00 001 (90mm) · OC1204 00 001  
(100mm) · OC1205 00 001 (110mm)

DIN configuration: 3.0-11.0

DEMO READY



### SQUIRE 11

OC1201 00 001 (90mm) · OC1202 00 001  
(100mm) · OC1203 00 001 (110mm)

DIN configuration: 3.0-11.0



### SQUIRE 10-100 + SCREWKIT

OC3220 00 001

DIN configuration: 3.0-10.0



### DUKE PT 16

OC3210 00 001 (100mm)  
OC3208 00 001 (125mm)

DIN configuration: 6.0-16.0



### DUKE PT 15

OC3214 00 001 (100mm)  
OC3212 00 001 (125mm)

DIN configuration: 4.0-13.0



### DUKE PT 11

OC3215 00 001 (100mm)  
OC3213 00 001 (125mm)

DIN configuration: 3.0-11.0



### KINGPIN 13

OC2102 00 001 (75-100mm)  
OC2103 00 001 (100-125mm)

DIN configuration: 6.0-13.0



### KINGPIN 10

OC2100 00 001 (75-100mm)  
OC2101 00 001 (100-125mm)

DIN configuration: 5.0-10.0



### CRUISE 12

OC3225 00 001 (90mm) ·  
OC3224 00 001 (105mm)

DIN configuration: 6.0-12.0



### CRUISE 10

OC3226 00 001 (90mm) ·

DIN configuration: 4.0-10.0



### ALPINIST 12

OC2104 00 001 (w/o brake)  
OC2105 00 001 (90mm)

DIN configuration: 6.0-12.0



### ALPINIST 10

OC2106 00 001 (w/o brake) ·  
OC2107 00 001 (90mm)

DIN configuration: 4.0-10.0



### ALPINIST 8

OC2108 00 001 (w/o brake) ·  
OC2109 00 001 (90mm)

DIN configuration: 3.0-8.0



### ALPINIST LONG TRAVEL

OC2110 00 001 (12 w/o brake) ·  
OC2111 00 001 (10 w/o brake) ·

DIN configuration: 6.0-12.0

DEMO READY



### ALPINIST JR. 6

OC3227 00 001

DIN configuration: 2.0-6.0



**ACCESSORIES / CLOTHING**

**ESSENTIAL 1939**



**ESSENTIAL SWEATSHIRT**  
grey  
0W0150 00 001



**ESSENTIAL HOODIE**  
black  
0W0400 00 001



**ESSENTIAL FLEECE**  
red / black  
0W0401 00 001



**ESSENTIAL TSHIRT**  
offwhite  
0W0300 00 001



**ESSENTIAL CAP**  
black  
0W0500 00 001

**DOBERMANN**



**DOBERMANN SCUBA**  
dark grey  
0W0403 00 001



**DOBERMANN LONG SLEEVES**  
black  
0W0304 00 001



**DOBERMANN T-SHIRT**  
black  
0W0303 00 001



**DOBERMANN CAP**  
black  
0W0501 00 001



**DOBERMANN BEANIE**  
black  
0W0553 00 001

**ESSENTIAL 1939**



**ESSENTIAL BEANIE**  
black / red / white  
0W0550 00 001

**BELLES**



**BELLES T-SHIRT**  
white  
0W0302 00 001



**BELLES BEANIE**  
grey  
0W0552 00 001

**UNLEASHED**



**UNLEASHED T-SHIRT**  
white  
0W0301 00 001



**UNLEASHED BEANIE**  
burgundi  
0W0551 00 001



**DOBERMANN RAIN COAT**  
black / red  
0W0118 00 001




**DOBERMANN JOGGERS**  
black  
0W0200 00 001





The LIFE-RecycleYourBoots project has received funding from the LIFE Programme of the European Union.



## RECYCLE YOUR BOOTS



find out more

# GIVE YOUR OLD SKI BOOTS A SECOND LIFE

WE ARE AT THE BEGINNING OF A NEW WAY OF CONCEIVING THE SKIBOOT LIFE CYCLE. RECYCLE YOUR BOOTS IS NOT THE FINAL ANSWER, NOT YET, BUT IT IS A SITE OF CONSTANT INNOVATION.

### PLASTIC WASTE IS A PROBLEM

Recycle Your Boots was born from the consciousness that our society globally is producing an enormous quantity of waste. And that plastic has become a big problem for our planet, literally as big as a continent. When old ski boots reach the end of their usable life, they often end up in a dump or are burned in waste-to-energy plants. We want to make it possible for anyone who wants to get a new pair of ski boots, to return their old ones, from any brand. Nordica will recycle the old pair completely, in a transparent and sustainable process. Nordica is launching the Recycle Your Boots campaign to make a circular economy the new business model for the ski industry. The collecting and recycling initiative has been adopted by the LIFE programme – the EU's funding instrument for the environment and climate action – and will be effective across eight European countries as early as this winter season.



## HOW DOES IT WORK?

### WHAT HAPPENS TO YOUR OLD SKI BOOTS WHEN YOU LEAVE THEM IN THE SHOP?

- 1. COLLECT**  
Once the ski season is over, collect the old ski boots and place them inside the delivery boxes. Each delivery box should include 5 pairs of ski boots, for logistics reasons.
- 2. FULFILL RYB FORM**  
Fulfill the Nordica RYB Form you received via e-mail.
- 3. BOOK THE PICK UP**  
In order to organize the pick up, send the fulfilled form via e-mail to FERCAM logistics company.
- 4. PRINT RYB FORM**  
Print one copy of the fulfilled form and place it inside one of the delivery boxes.
- 5. TRANSPORT TO RECYCLING**  
FERCAM will pick up and deliver the old ski boots as second hand goods to our Selection Center where they will be dismantled.
- 6. RECYCLE YOUR BOOTS**  
We recycle them!





# FIT FOR THE LONG RUN

*NORDICA.COM*



8050032030409

Printed in Italy.  
December 2022.

**Action Pictures**

S. Rainer  
A. Salini  
J. Dash  
E. Williams  
V. A. Amendolara

**Product Pictures**

Sartori Group

**Design**

A. Fornasier  
A. Papandrea

**Printing**

Tipografia Faggionato