

2023/24



FIS ALPINE

ENGLISH

 **ATOMIC**



PRO CENTER

THE ULTIMATE SHOP FOR RACERS



ATOMIC PRO CENTERS

Atomic Pro Centers are our competence centers created exclusively for FIS members and race enthusiasts, from junior racers to World Cup competitors. You'll quickly discover it's not just the gear that makes these places special. Our experienced alpine race technicians will work with you to find the perfect ski set-up.

Our main Atomic Pro Center is located at the Atomic global headquarters in Altenmarkt, on the same site as our ski production and R&D facilities. Besides, there is also an Atomic Pro Center at SNO in Oslo and over 30 Atomic Pro Center Partners worldwide.

RACING SERVICES

Experts with World Cup experience will share our top-end racing equipment with you and build your own individual set-up. It enables racers on the way up to experience the unique service enjoyed by our top Atomic stars – from having their skis tuned in our Race Department with Wintersteiger equipment to having their boots professional fitted by our Atomic race technicians.



APPOINTMENT

Racing services are available in Altenmarkt and Oslo, and any of our Pro Center partners in your region. To make sure we have enough time for individual service, please book an appointment in advance.

Please find our Atomic Pro Center and Pro Center Partners listed on the back page of the catalog.

10 YEARS IN RED: HAPPY BIRTHDAY, REDSTER!



Mikaela Shiffrin celebrated her first World Cup victory with it, and rides it to this day. Its record boasts 196 World Cup victories, nearly 500 podiums, 40 crystal globes, 37 World Championship medals and 16 Olympic medals. What are we talking about? You've guessed it: the Redster.

To mark the mighty Redster's 10th birthday (where did the time go?!), we take a quick look back on a truly momentous decade. One that has been most definitely painted red ...

A new brand for a new racing machine

Hard to believe, but before 2012, manufacturers weren't in the habit of creating special brands for their racing ranges. 'Race' was just an umbrella term used by every manufacturer in the ski industry. But then the Atomic brains trust in Altenmarkt decided they wanted something different: a new ownable trademark for Atomic's brand new, game-changing racing machine.

So what to call it?

The idea was there. The speed was there. Now for the name.

Easy: start with the Porsche Speedster – a icon of speed – and mix in Atomic's famous red brand color. The name Redster was born.

Now to win some races...

13 victories in year one

That'll do.

The first ever Redster came equipped with our legendary Double Deck technology, and it didn't take long before the world got used to seeing Redsters on the podium.

In fact, the super talented Kathrin Zettel, Mikaela Shiffrin and Co raced to 13 victories in Redster's first World Cup season. They then capped it

off with two gold medals at the 2013 World Championships in Schladming – not far from the Atomic factory.

Double Deck, Servotec ... A ski that's never stood still

Winning can get pretty addictive – and given the success of those early years and the constant pursuit for more, it's no surprise the development of the Redster didn't stop with that first ski.

First up, a completely new generation of Redster skis followed in 2017/18. These came with brand new Servotec technology (the name came from 'Servolenkung' – meaning

BORN ON THE RACE COURSE.



power steering – as that's basically what Servotec created: power steering for ski racers!).

That same year also saw the extension of the Redster name to a complete product line in red – from bags and helmets to XC skis, boots and poles – a big milestone in Redster history.

Since then, our Redster team have been making constant small adjustments to keep the ski moving forward – all with the name and philosophy of Redster as a red thread throughout.

Redster & Revoshock – a match made in racing heaven

The next big step for Redster has been its latest: the arrival of Revoshock technology. So closely

guarded, the prototypes needed to be hidden in black boxes when on the road! No less than 34 people have been involved in the development of what is currently the latest technology on the market, from prototype developers to designers to internal testers and World Cup athletes.

It's also been a journey: the team here at Atomic worked on almost 50 prototypes before they were happy to launch Redster Revoshock onto the market in 2021.

But it's been worth it. Just like the first Redster, this latest incarnation wins races – but thanks to its focus on faster, more controlled skiing, it's a ski that also works for any ambitious amateur skier in search of the ultimate on the slopes, not just world-class ski racers.

Redsters – for racers, by racers.

We're super excited to see what comes next for Redster.

Unlike ski races, there is no finish line in ski development. Faster, higher, further is the motto. Or to use the language of the piste ski: faster, more dynamic, more stable!

Of course, the driving force behind the development of the Redster is, and has always been, the Atomic racing department.

Our World Cup stars such as Mikaela Shiffrin, Aleksander Aamodt Kilde, Sofia Goggia, Manuel Feller, Lucas Braathen and Marco Schwarz have all had a major influence on the



technology of the current model, the Redster Revoshock.

These top athletes help with every step: from testing prototypes to telling us how the finished products feel on race day. Our racers need stability, power, easy turn initiation and control – and with their help, our team of race technicians and engineers can work to deliver it.

And deliver it they do!

Anyone who has had the Redster Revoshock under their ski boots will tell you so.

In the words of world champion Marco Schwarz, "It makes it easier to concentrate on racing! If you make a

mistake, you're back on track quicker. It makes skiing on rough slopes even smoother."

Redster – from ski to set-up

To this day, the Redster ski is the true heart of the product family.


But now together with ski boots, poles, goggles, helmets and apparel, Redster provides the perfect set-up for every skier – complete with World Cup-technologies proven at the very highest level.

That makes Redster pretty darned unique.

Happy Birthday, Redster!

SKIS TECHNICAL SPECIFICATIONS

S G



G S

REDSTER G9 FIS REVOSHOCK W 188 NEW AA0029878
REDSTER G9 RS REVOSHOCK W 183 NEW AA0029850
REDSTER G9 RS REVOSHOCK I 190 NEW AA0029764
REDSTER G9 RS REVOSHOCK 183 NEW AA0029768

S L



| PRODUCT | ART. NO. | BINDINGS | LENGTH (cm) | RADIUS (m) | SIDE CUT TIP (mm) | SIDE CUT WAIST (mm) | SIDE CUT TAIL (mm) | FEATURES | PRICES |
|--------------------------------|-----------|----------|-------------|------------|-------------------|---------------------|--------------------|--|--------|
| REDSTER SG FIS REVOSHOCK M 212 | AA0029368 | - | 212 | 45 | 95 | 65 | 81 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, World Cup Base Finish, Icon Interface | |
| REDSTER SG FIS REVOSHOCK W 207 | AA0029374 | - | 207 | 40 | 95 | 65 | 81.2 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, World Cup Base Finish, Icon Interface | |
| REDSTER SG FIS REVOSHOCK 200 | AA0029372 | - | 200 | 35 | 96.5 | 65 | 81.1 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, World Cup Base Finish, Active Race Interface | |
| REDSTER SG FIS REVOSHOCK | AA0028768 | - | 185 192 | 30 35 | 98.5 98 | 65 65 | 82 82.4 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK M 193 | AA0029872 | - | 193 | 30 | 101.5 | 65 | 83.8 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Icon Interface | |
| REDSTER G9 FIS REVOSHOCK M 193 | AA0030032 | - | 193 | 30 | 101.5 | 65 | 83.8 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK W 188 | AA0029876 | - | 188 | 30 | 97.6 | 65 | 83.5 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Icon Interface | |

| PRODUCT | ART. NO. | BINDINGS | LENGTH (cm) | RADIUS (m) | SIDE CUT TIP (mm) | SIDE CUT WAIST (mm) | SIDE CUT TAIL (mm) | FEATURES | PRICES |
|--------------------------------|-----------|----------|-------------|------------|-------------------|---------------------|--------------------|--|--------|
| REDSTER G9 FIS REVOSHOCK W 188 | AA0029878 | - | 188 | 30 | 97.6 | 65 | 83.5 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK W 183 | AA0029850 | - | 183 | 30 | 100 | 65 | 80.5 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 RS REVOSHOCK I 190 | AA0029764 | - | 190 | 27.5 | 104 | 68 | 89 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Icon Interface | |
| REDSTER G9 RS REVOSHOCK 183 | AA0029768 | - | 183 | 24 | 105 | 67.5 | 89 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 RS REVOSHOCK 176 | AA0029770 | - | 176 | 21 | 106.5 | 67 | 90 | Revoshock, Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER S9 FIS M 165 | AA0029772 | - | 165 | 12.5 | 115.9 | 65.3 | 101.3 | Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Icon Interface | |
| REDSTER S9 FIS M 165 | AA0029774 | - | 165 | 12.5 | 115.9 | 65.3 | 101.3 | Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Active Race Interface | |

SKIS TECHNICAL SPECIFICATIONS

SL

JR GS

JR SL

JR ALLROUND




| PRODUCT | ART. NO. | BINDINGS | LENGTH (cm) | RADIUS (m) | SIDE CUT TIP (mm) | SIDE CUT WAIST (mm) | SIDE CUT TAIL (mm) | FEATURES | PRICES |
|-----------------------------------|-----------|----------|-------------|------------|-------------------|---------------------|--------------------|---|--------|
| REDSTER S9 FIS W 157 | AA0029776 | - | 157 | 12.7 | 114.5 | 66.3 | 99.5 | Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Icon Interface | |
| REDSTER S9 FIS W 157 | AA0029778 | - | 157 | 12.7 | 114.5 | 66.3 | 99.5 | Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Active Race Interface | |
| REDSTER S9 FIS 155 | AA0029780 | - | 155 | 12.1 | 112.9 | 65 | 97.5 | Ultra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.5°, World Cup Base Finish, Active Race Interface | |
| REDSTER S9 FIS | AA0029792 | - | 152 | 11.6 | 115.5 | 65 | 96.5 | Ultra Power Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK S | AA0029782 | - | 187 | 26 | 103 | 65 | 82.4 | Revoshock, SUltra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK S | AA0029784 | - | 173 180 | 20 24 | 105 104 | 65 | 87.5 85.5 | Revoshock, SUltra Power Woodcore, Ultra TI Powered, Full Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |



| PRODUCT | ART. NO. | BINDINGS | LENGTH (cm) | RADIUS (m) | SIDE CUT TIP (mm) | SIDE CUT WAIST (mm) | SIDE CUT TAIL (mm) | FEATURES | PRICES |
|---|--|--|---------------------------------|-------------------------------|---------------------------------|----------------------------|--------------------------------------|---|--------|
| REDSTER G9 FIS REVOSHOCK S | AA0029786 | - | 159 166 | 17.3 18.1 | 104.5 106 | 65 65 | 86.5 88 | Revoshock, SPower Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Active Race Interface | |
| REDSTER G9 FIS REVOSHOCK S J-RP2 | AAAST01958 AAAST01960 AAAST01962 AAAST01994 | COLT 12 COLT 10 COLT 7 C COLT 7 | 152 159 166 | 17 17.3 18.1 | 102.5 104.5 106 | 65 65 65 | 84.5 86.5 88 | Revoshock, Power Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Junior Race Interface | |
| REDSTER G9 FIS J-RP2 | AAAST01964 AAAST01966 AAAST01996 | COLT 10 COLT 7 C COLT 7 | 124 131 138 145 | 13.5 14 14.5 15 | 96 98 100 102 | 65 65 65 65 | 79 81 83 85 | Power Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Junior Race Interface | |
| REDSTER S9 FIS J-RP2 | AAAST01968 AAAST01970 | COLT 12 COLT 10 | 145 152 | 11 11.6 | 112.5 115.5 | 65 65 | 94 96.5 | Ultra Power Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Junior Race Interface | |
| REDSTER S9 FIS J-RP2 | AAAST01972 AAAST01974 AAAST01998 | COLT 10 COLT 7 C COLT 7 | 124 131 138 | 8.9 9.7 10.4 | 105.5 107 108.5 | 65 65 65 | 88 89.5 91 | Power Woodcore, Ultra TI Powered, Dura Cap Sidewall, Structured Topsheet, Side Edge Angle: 87°, Base Edge Angle: 0.8°, World Cup Base Finish, Junior Race Interface | |
| REDSTER J9 FIS J-RP2 | AAAST01976 AAAST01992 | COLT 7 C COLT 7 | 116 | 9 | 104 | 64 | 84.5 | Light Woodcore, Densolite Core, Dura Cap Sidewall, Glossy Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, World Cup Base Finish, Junior Race Interface | |
| REDSTER J9 RS J-RP2 | AAAST01978 AAAST01980 AAAST01990 | COLT 10 COLT 7 C COLT 7 | 120 130 140 150 160 | 9.3 11 12.5 14 16 | 102 103 104 105 106 | 65 65 65 65 65 | 86.5 87.5 88.5 89.5 90.5 | Light Woodcore, Densolite Core, Dura Cap Sidewall, Glossy Topsheet, Side Edge Angle: 87°, Base Edge Angle: 1.0°, Junior Race Interface | |

REDSTER TECHNOLOGY



CONSTRUCTION

REVOSHOCK S

Utilizing a series of spring steel modules each encased in impact absorbing elastomer, the revolutionary Revoshock S technology acts like a built-in suspension system for your skis to block distracting shocks before they reach your feet. Whether you're straight-lining groomers or making fast turns at your limit, the race-proven Revoshock S provides a smoother, more precise run. But Revoshock S doesn't just absorb impacts — it rebounds them.

TOPSHEET

Redster Revoshock turns unwanted shocks into confidence-building stability and unparalleled acceleration. Structured topsheet: A structured topsheet massively increases durability and gives a high quality finish.


BASE

World Cup Base Finish
World Cup-level grinding means less friction and more speed.

SIDEWALLS

FULL SIDEWALL

Full sidewall runs across the full length of the ski for precise steering.



DURA CAP SIDEWALL

Sidewall from base to top sheet, for controlled power transmission and great edge grip. The rounded shape of the Dura Cap is a fantastic durability feature as it picks up fewer dents and dings.



CORE


ULTRA POWER WOODCORE

Made from strong beech and lightweight poplar – for supreme running stability and agility in our racing skis.




POWER WOODCORE

A sporty, dynamic ash and poplar woodcore that adds a ton of stability and dampens vibrations at speed.




LIGHT WOODCORE

Made from Poplar wood, this core optimizes the ski's weight without sacrificing any shock absorption or stability.



DENSOLITE CORE


A foam core that's agile and dampens vibrations – for effortless skiing.



LAMINATE


ULTRA TI POWERED

Our World Cup, athlete-proven technology Ultra Titanium Powered with updated double bonding is a Titanal laminate that runs from sidewall to sidewall adding stability, torsional rigidity and edge grip.



TI POWERED


A Titanal layer above and below the core creates supreme shock absorption, strong running stability and high torsional flex.



EDGE ANGLES

SIDE EDGE ANGLE

Precisely tuned edges are an important part of ski performance. A dull edge cannot penetrate the snow surface and will skid through a turn. An edge that is too sharp will grab and catch the snow surface creating unstable performance. Our skis are prepared with a side edge angle of 87.0° for more intuitive handling, easier skiing and better grip on hard snow and ice.



BASE EDGE ANGLE

All skis from our factory are delivered with steel edges that have been carefully machined with a precise base edge bevel for specific performance characteristics. For our FIS skis we're using base edge angles from 0.5° (SL) to 0.8° (GS and JR) and 1.0° (SG and DH). They lightly lift the ski edges off the snow for easy turning while maintaining excellent edge grip and aggressive tracking throughout the turn.



ICON



ICON 30

Immediate power

Delivering immediate power while allowing for more reactivity and response throughout the entire ski, Centralized Power Transfer enables the racer to be in better control of the ski by strategically placing the binding interface directly under the boot to centralize and optimize power transmission.

Built to win

A proven podium winner on the World Cup circuit, Icon has been adopted by some of the fastest skiers on the mountain. Built to handle the toughest race course conditions, Icon provides the highest level of performance without negatively influencing tolerance or rebound.

The future of race

One binding for all racing disciplines, Icon has been meticulously engineered to meet the constantly evolving conditions in top-level racing. Directing every ounce of energy immediately to the ski, Icon provides superior performance, agility and durability on hard and icy surfaces.

BINDINGS TECHNICAL SPECIFICATIONS

ICON 30



AD5002208
ICON 30
RED / BLACK

AD5002210
ICON 24
RED / BLACK

AD5001764
X 16 VAR
RED / BLACK

AD5001766
X 12 VAR
RED / BLACK



AD5002054
COLT 12
RED / BLACK

AD5002056
COLT 10
RED / BLACK


AD5002186
COLT 7 C
RED / BLACK

AD5002058
COLT 7 GW
BLACK / GREY

| PRODUCT | ART. NO. / COLOR | DIN SCALE | RECOM. SKIER WEIGHT | ADJUSTM. RANGE (mm) | BRAKE WIDTH | WEIGHT (per Bind.) | BINDING / BOOT COMP. | FEATURES | PRICES |
|------------------|---------------------------|-----------|-----------------------|---------------------|--------------------|--------------------|---|--|--------|
| ICON 30 | AD5002208 Red / Black | 20-30 | >95kg >209lbs | 262-361 | X75 | 1425g | Alpine A (Adult) | Automatic Toe Adaptation, Locking Brakes, Centralized Power Transfer, Elevated Brakes, Automatic Toe Height Adjustment | |
| ICON 24 | AD5002210 Red / Black | 14-24 | >95kg >209lbs | 262-361 | X75 | 1425g | Alpine A (Adult) | Automatic Toe Adaptation, Locking Brakes, Centralized Power Transfer, Elevated Brakes, Automatic Toe Height Adjustment | |
| X 16 VAR | AD5001764 Red / Black | 8-16 | 42-120kg 92-264lbs | 260-364 | B70 | 1480g | Alpine A (Adult) | Locking Brakes, Full Flex, Variable Positioning (VAR), Elevated Brakes, TÜV certified | |
| X 12 VAR | AD5001766 Red / Black | 4-12 | 42-120kg 92-264lbs | 260-364 | B70 | 1470g | Alpine A (Adult) | Locking Brakes, Full Flex, Variable Positioning (VAR), Elevated Brakes, TÜV certified | |
| COLT 12 | AD5002054 Red / Black | 4-12 | 42-120kg 92-264lbs | 28 | B75 | 1050g | Alpine A (Adult) | Automatic Toe Adaptation, Locking Brakes, Low Profile Chassis, XL Wings, Elevated Brakes, Automatic Toe Height Adjustment, TÜV certified | |
| COLT 10 | AD5002056 Red / Black | 3-10 | 30-107kg 66-235lbs | 28 | B75 | 970g | Alpine A (Adult) | Automatic Toe Adaptation, Locking Brakes, Low Profile Chassis, Elevated Brakes, Automatic Toe Height Adjustment, TÜV certified | |
| COLT 7 C | AD5002186 Red / Black | 2-7,5 | 22-85kg 44-187lbs | 28 | B75 | 860g | Alpine C (Child) + GripWalk C (Child) | Automatic Toe Adaptation, Locking Brakes, Light Construction, Race Pedal, Automatic Toe Height Adjustment, TÜV certified | |
| COLT 7 GW | AD5002058 Black / Grey | 2-7,5 | 22-85kg 44-187lbs | 28 | B75 B90 B100 | 860g | Alpine A (Adult) + GripWalk A (Adult) + Alpine C (Child) + GripWalk C (Child) | Light Construction, Race Kit Compatible, Automatic Toe Adaptation, Locking Brakes, Automatic Toe Adaption, TÜV certified | |


BINDING TECHNOLOGY

ICON




CENTRALIZED POWER TRANSFER

A wider base plate and race mounting pattern strategically position the binding screws directly under the boot to centralize and optimize power transmission. Delivering immediate power underfoot while allowing for more reactivity and response throughout the entire length of the ski, Centralized Power Transfer enables the racer to be in better control of the ski throughout the turn – in every discipline and type of course setting.




METAL RACE PEDAL

Designed to deliver the best power transfer from boot to binding, Metal Race Pedal allows the boot to sit directly on the AFD for more direct energy transmission.



ELEVATED BRAKES

Our Elevated Brakes get up and out of the way, tucked in closer to the heelpiece of your binding, letting you ski more aggressive edge angles with less risk of catching the snow.



AUTOMATIC TOE ADAPTION

The toe adapts automatically to your alpine normed boot height and width and ensures constant release values, even on worn out boots.


MOUNTING GUIDE

RACE INTERFACE

X 16 VAR / X 12 VAR

| SOLE LENGTH (mm) | POSITION TOE | POSITION HEEL |
|------------------|--------------|---------------|
| 264 – 314 | S | S |
| 282 – 314 | M | S |

| SOLE LENGTH (mm) | POSITION TOE | POSITION HEEL |
|------------------|--------------|---------------|
| 296 – 343 | M | M |
| 314 – 360 | M | L |



ICON INTERFACE

BOOT SOLE LENGTH:

Mounting information on the plate

ICON 30 / ICON 24

| POSITION TOE | POSITION HEEL |
|----------------------------|---------------|
| SOLE LENGTH (mm) 262 – 271 | 262 – 281 |
| SOLE LENGTH (mm) 272 – 341 | 282 – 291 |
| SOLE LENGTH (mm) 272 – 341 | 292 – 301 |
| SOLE LENGTH (mm) 272 – 341 | 302 – 311 |

| POSITION TOE | POSITION HEEL |
|----------------------------|---------------|
| SOLE LENGTH (mm) 272 – 341 | 312 – 321 |
| SOLE LENGTH (mm) 272 – 341 | 322 – 331 |
| SOLE LENGTH (mm) 342 – 361 | 332 – 361 |

ICON INTERFACE GS AND SG



ICON INTERFACE SL



ICON DISTANCE PLATE

| | | |
|--------------|-------------------------------|-------------------------|
| AAST02200001 | 1X2 DISTPLT FR ICON 24&30 1mm | set (2 pieces + screws) |
| AAST02192001 | 1X2 DISTPLT FR ICON 24&30 2mm | set (2 pieces + screws) |
| AAST02194001 | 1X2 DISTPLT FR ICON 24&30 3mm | set (2 pieces + screws) |
| AAST02196001 | 1X2 DISTPLT FR ICON 24&30 4mm | set (2 pieces + screws) |

| | | |
|--------------|-------------------------------|-------------------------|
| AAST02186001 | 1X2 DISTPLT RR ICON 24&30 1mm | set (2 pieces + screws) |
| AAST02188001 | 1X2 DISTPLT RR ICON 24&30 2mm | set (2 pieces + screws) |
| AAST02190001 | 1X2 DISTPLT RR ICON 24&30 3mm | set (2 pieces + screws) |
| AAST02198001 | 1X2 DISTPLT RR ICON 24&30 4mm | set (2 pieces + screws) |

JUNIOR RACE PLATE (J-RP2)

BOOT SOLE LENGTH:

Mounting information on the plate for COLT 7 C, COLT 10, COLT 12

- A:** > 217mm – 246mm
- B:** > 237mm – 266mm
- C:** > 256mm – 285mm
- D:** > 276mm – 305mm



REDSTER FAMILY



REDSTER STI

This highly anatomical 93mm narrow last is the lowest volume fit and has the ideal stability and stiffness for lighter racers.

REDSTER TI

This highly anatomical 95mm narrow last is the most successful race boot in the modern era and the current choice of most of our World Cup athletes.

REDSTER CS

This narrow 96mm last features more space in the forefoot and navicular areas for increased comfort while still retaining optimum foot hold for powerful skiing.

THE REDSTER THREAD



Consistent liner constructions
across all 3 fits

Same forward lean and ramp
angle across all 3 fits

Same stance in all 3 fits

BOOTS TECHNICAL SPECIFICATIONS

REDSTER TI
95 MM RACING LAST



| PRODUCT | REDSTER TI 150 LIFTED | REDSTER TI 130 | REDSTER TI 110 |
|-----------------------------|---|---|---|
| ART. NO. | AE5025980 | AE5024340 | AE5024360 |
| COLOR | Red / Black | Red / Black | Red / Black |
| SIZE RANGE | 22/22.5 - 29/29.5 | 22/22.5 - 29/29.5 | 22/22.5 - 29/29.5 |
| SHELL TECHNOLOGY | Progressive Race Shell, +5mm Lifted Sole Height, True Size Mondo 22 | Progressive Race Shell, True Size Mondo 22 | Progressive Race Shell, True Size Mondo 22 |
| CUFF TECHNOLOGY | Power Control, Dual-Sided Cuff Alignment | Power Control, Dual-Sided Cuff Alignment | Power Control, Dual-Sided Cuff Alignment |
| SHELL / CUFF MATERIAL | PU - H / PU - B | PU / PU | PU / PU |
| CUFF HEIGHT | Regular Cuff - All Sizes | Regular Cuff - All Sizes | Regular Cuff - All Sizes |
| LINER MODEL | Mimic World Cup | Mimic World Cup | World Cup |
| LINER TECHNOLOGY | Mimic, V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | Mimic, V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer |
| POWER STRAP | 55mm Professional Dual Strap | 55mm Professional Dual Strap | 35mm Velcro Strap |
| CUFF CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles |
| SHELL CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles |
| LAST / FIT | 95mm Racing Last | 95mm Racing Last | 95mm Racing Last |
| FORWARD LEAN SHELL ROTATION | 16° (Default) / 18° / 0° | 16° (Default) / 18° / 0° | 16° (Default) / 18° / 0° |
| BOOT SOLE | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) |
| NORM | Not in compliance with Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A |
| WEIGHT / MONDO SIZE | 2.350g / 26-26.5 | 2.222g / 26-26.5 | 2.178g / 26-26.5 |
| WHAT'S IN THE BOX | Size Adjuster, 2nd Power Control Screw, Liner Laces, Liner Spoiler | Size Adjuster, 2nd Power Control Screw, Liner Laces, Liner Spoiler | Size Adjuster, 2nd Power Control Screw, Liner Laces, Liner Spoiler |
| PRICES | | | |

REDSTER STI
93 MM RACING LAST




| PRODUCT | REDSTER STI 150 LIFTED | REDSTER STI 130 | REDSTER STI 110 | REDSTER STI 90 LC | REDSTER STI 70 LC |
|-----------------------------|---|---|---|---|---|
| ART. NO. | AE5025960 | AE5024380 | AE5024400 | AE5024420 | AE5024440 |
| COLOR | Red / Black | Red / Black | Red / Black | Red / Black | Red / Black |
| SIZE RANGE | 22/22.5 - 27/27.5 | 22/22.5 - 27/27.5 | 22/22.5 - 27/27.5 | 22/22.5 - 27/27.5 | 22/22.5 - 27/27.5 |
| SHELL TECHNOLOGY | Slim Race Shell, +5mm Lifted Sole Height, True Size Mondo 22 | Slim Race Shell, True Size Mondo 22 | Slim Race Shell, True Size Mondo 22 | Slim Race Shell, True Size Mondo 22 | Slim Race Shell, True Size Mondo 22 |
| CUFF TECHNOLOGY | Power Control, Dual-Sided Cuff Alignment | Dual-Sided Cuff Alignment |
| SHELL / CUFF MATERIAL | PU - H / PU - B | PU / PU | PU / PU | PU / PU | PU / PU |
| CUFF HEIGHT | Regular Cuff - All Sizes | Regular Cuff - All Sizes | Regular Cuff - All Sizes | Low Cuff - All Sizes | Low Cuff - All Sizes |
| LINER MODEL | Mimic World Cup | Mimic World Cup | World Cup | World Cup | World Cup |
| LINER TECHNOLOGY | Mimic, V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | Mimic, V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer |
| POWER STRAP | 55mm Professional Dual Strap | 55mm Professional Dual Strap | 35mm Velcro Strap | 35mm Velcro Strap | 35mm Velcro Strap |
| CUFF CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles |
| SHELL CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles |
| LAST / FIT | 93mm Racing Last | 93mm Racing Last | 93mm Racing Last | 93mm Racing Last | 93mm Racing Last |
| FORWARD LEAN SHELL ROTATION | 16° (Default) / 18° / 0° | 16° / 0° |
| BOOT SOLE | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) |
| NORM | Not in compliance with Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A |
| WEIGHT / MONDO SIZE | 2.219g / 24-24.5 | 2.186g / 24-24.5 | 1.918g / 24-24.5 | 1.850g / 24-24.5 | 1.798g / 24-24.5 |
| WHAT'S IN THE BOX | Size Adjuster, 2nd Power Control Screw, Liner Laces, Liner Spoiler | Size Adjuster, Liner Laces |
| PRICES | | | | | |

BOOTS TECHNICAL SPECIFICATIONS


| | REDSTER CS 96 MM NARROW LAST | REDSTER JR 98 MM JUNIOR LAST | | |
|------------------------------------|---|---|---|--|
| PRODUCT | REDSTER CS 130 NEW | REDSTER CS 110 NEW | REDSTER CS 70 LC NEW | REDSTER JR 60 RS |
| ART. NO. | AE5029460 | AE5029480 | AE5029500 | AE5025440 |
| COLOR | Red / Black | Red / Black | Red / Black | Red / Black |
| SIZE RANGE | 23/23.5 - 29/29.5 | 21/21.5 - 29/29.5 | 21/21.5 - 27/27.5 | 18/18.5 - 27/27.5 |
| SHELL TECHNOLOGY | Memory Fit, Progressive Race Shell, Integrated 3mm Lift | Memory Fit, Progressive Race Shell, Integrated 3mm Lift, True Size Mondo 21, True Size Mondo 22 | Memory Fit, Progressive Race Shell, Integrated 3mm Lift, True Size Mondo 21, True Size Mondo 22 | Junior Performance Shell |
| CUFF TECHNOLOGY | Power Shift Race, Dual-Sided Cuff Alignment | Power Shift Race, Dual-Sided Cuff Alignment | Dual-Sided Cuff Alignment | Progressive Cuff Design |
| SHELL / CUFF MATERIAL | PU / PU | PU / PU | PU / PU | PP / PP |
| CUFF HEIGHT | Regular Cuff - All Sizes | Regular Cuff - All Sizes | Low Cuff - All Sizes | Low Cuff - All Sizes |
| LINER MODEL | Mimic World Cup | Mimic Gold | Select Silver | Select Silver JR |
| LINER TECHNOLOGY | Mimic, V3 Tongue System, 3D Stretch Toe Box, Full Microfiber Outer | Mimic, 3D Stretch Toe Box, Full Microfiber Outer | 3D Stretch Toe Box, Full Microfiber Outer | - |
| POWER STRAP | 55mm Professional Dual Strap | 35mm Velcro Strap | 35mm Velcro Strap | 30mm Velcro Strap |
| CUFF CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 6000-Series Aluminium Buckles |
| SHELL CLOSURE | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 7000-Series Aluminium Buckles | 6000-Series Aluminium Buckles |
| LAST / FIT | 96mm Narrow Last | 96mm Narrow Last | 96mm Narrow Last | 98mm Junior Last |
| FORWARD LEAN SHELL ROTATION | 16° (Default) / 18° / 0° | 16° (Default) / 18° / 0° | 16° / 0° | 15° |
| BOOT SOLE | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | Racing Sole (non-replaceable) | JR Grip Pads |
| NORM | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | Alpine Norm ISO 5355 - Type A | 18-21.5 Alpine Norm ISO 5355 - Type C , 22-27.5 Alpine Norm ISO 5355 - Type A |
| WEIGHT / MONDO SIZE | 2.262g / 26-26.5 | 2.208g / 26-26.5 | 1.899g / 24-24.5 | 1.520g / 24-24.5 |
| WHAT'S IN THE BOX | Size Adjuster, 18° Power Shift Race Shim, 2nd Power Shift Race Screw, Liner Laces, Liner Spoiler | Size Adjuster, 18° Power Shift Race Shim, 2nd Power Shift Race Screw | Size Adjuster | Size Adjuster |
| PRICES | | | | |

REDSTER AFTERMARKET PARTS






PROFESSIONAL FOAMING GUN
AZE001618



MIMIC PROFESSIONAL PODIUM
AM5008771001



PROFESSIONAL BOOT SPREADER
AM5008791001



PROFESSIONAL BOOT PRESS
AM5008781001



BOOT PRESS TOE PUNCH SET
AM5008821001

CANTING



CANTING ASSESSMENT SYSTEM
AM5006331001



ATOMIC CANTMATE SYSTEM
AM5007781001
80 cm wide x 38 cm deep x 73h cm high

BOOT TECHNOLOGY

MIMIC PROFESSIONAL

Mimic Professional injects advanced foam compounds into revolutionary Mimic liner technology to create a customized fit that forms around the exact shape of the foot. The result is a liner that delivers the supreme fit, unrivaled comfort, and next-level performance.

1. HEAT THE MIMIC ZONES IN THE OVEN



2. INJECT PROFESSIONAL FOAM INTO THE LINER



3. MIMIC: NEXT-TO-SHELL FIT; PROFESSIONAL FOAM: NEXT-TO-FOOT FIT



PROFESSIONAL DUAL STRAP

The innovative Professional Dual Strap combines two elements together for secure, balanced performance. Elastic shock absorbing portion smooths out choppy terrain and increases damping while static section provides pure power and energy transmission.



V3 TONGUE SYSTEM

Customizable V3 Tongue System allows you to select the ideal tongue thickness to suit your needs. Choose between Low Volume (LV) fit, Medium Volume (MV) fit and High Volume (HV) fit for the ultimate interface between shin and liner.



PROGRESSIVE RACE SHELL


Our Redster TI and CS boots feature a special shell made from thicker but softer material. This provides a more progressive flex and better damping, plus a more supple feel – making it easier to ski aggressively in all conditions and on all courses.



3D STRETCH TOE BOX

Asymmetrically shaped for left and right, the new 3D Stretch Toe Box takes first fit and customization potential to the next level. Its 'Big Toe Friendly' construction maximizes the liner's available length allowing for a little extra stretch when important millimeters are required to achieve the perfect fit.

REDSTER



| PRODUCT | ART. NO. | COLOR | SIZES (cm) | SHAFT | GRIP | STRAP | BASKET | TIP | FEATURES | WEIGHT | PRICES |
|---------------------------|-----------|--------------|---|--|-----------------------------|-----------------|--------------------|-------------|---|--------------|--------|
| REDSTER RS SL SQS | AJ5005676 | Red / Carbon | 110, 115, 120, 125, 130, 135 | 6* Carbon Pole Technology, 3K Kevlar | Ergonomic Redster Grip (2K) | Pro Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Hand Guard-ready, Ergonomic M-Fit | 240g / 120cm | |
| REDSTER RS GS SQS | AJ5005674 | Red / Carbon | 110, 115, 120, 125, 130, 135 | 6* Carbon Pole Technology, Bent Shaft, 3K Kevlar | Ergonomic Redster Grip (2K) | Pro Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Ergonomic M-Fit | 280g / 120cm | |
| REDSTER ULTRA SQS | AJ5005678 | Red / Black | 110, 115, 120, 125, 130, 135 | 6* Carbon Pole Technology | Ergonomic Redster Grip (2K) | Pro Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Hand Guard-ready, Ergonomic M-Fit | 210g / 120cm | |
| REDSTER CARBON SQS | AJ5005680 | Red / Carbon | 110, 115, 120, 125, 130, 135 | 6* Carbon Pole Technology | Ergonomic Redster Grip (2K) | Pro Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Hand Guard-ready, Ergonomic M-Fit | 220g / 120cm | |
| REDSTER RS SQS | AJ5005684 | Red / Black | 110, 115, 120, 125, 130, 135 | 5* Aluminum Pole Technology | Ergonomic Redster Grip (2K) | Premium Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Hand Guard-ready, Ergonomic M-Fit | 230g / 120cm | |
| REDSTER GS SQS | AJ5005682 | Red / Black | 110, 115, 120, 125, 130, 135 | 5* Aluminum Pole Technology, Bent Shaft | Ergonomic Redster Grip (2K) | Premium Strap | Race Basket (40mm) | Carbide Tip | Safety Quick Release System, Ergonomic M-Fit | 300g / 120cm | |
| REDSTER | AJ5005686 | Red | 110, 115, 120, 125, 130, 135 | 4* Aluminum Pole Technology | Ergonomic Redster Grip | Essential Strap | Race Basket (60mm) | Steel Tip | Ergonomic M-Fit | 255g / 120cm | |
| REDSTER HAND GUARD SYSTEM | | Red | | | Pro Strap | | | | Compatible with all Redster SQS models | 130g | |
| REDSTER JR SQS | AJ5005722 | Red | 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120 | 5* Aluminum Pole Technology | Ergonomic Redster Grip (2K) | Premium Strap | Race Basket (40mm) | Steel Tip | Safety Quick Release System, Hand Guard-ready, Ergonomic JR Fit | 150g / 90cm | |
| REDSTER GS JR | AJ5005720 | Red | 90, 95, 100, 105, 110 | 4* Aluminum Pole Technology, Bent Shaft | Ergonomic JR Grip (1K) | Essential Strap | Race Basket (40mm) | Steel Tip | Ergonomic JR Fit | 150g / 90cm | |
| REDSTER JR | AJ5005718 | Red | 70, 75, 80, 85, 90, 95, 100, 105 | 3* Aluminum Pole Technology | Ergonomic JR Grip (1K) | Essential Strap | Race Basket (40mm) | Steel Tip | Ergonomic JR Fit | 150g / 90cm | |

REDSTER JR

REDSTER SL

**Feel safe as you race**

The unique combination of AMID, Holo Core and an extra-durable PC Racecase delivers World Cup level protection. Redster SL CTD also features Shocksense for monitoring impact-damage from falls and gates. Dial up your safety, dial up your speed.

Protect yourself with the perfect fit

The Redster SL is so snug you'll forget you're wearing it! It comes with a 360° Fit System and Atomic Live Fit – our unique memory foam system that molds to your head shape for an instant individual fit. Ready to face any race.

Worn by our World Cup athletes

Speed and safety are in every detail of the Redster SL. It also comes with an adjustable Chin Guard in the box. It's the new Atomic helmet for all slalom racers, from young guns to our World Cup pros.

TECHNICAL SPECIFICATIONS

RACE

REDSTER SL CTD



REDSTER WC CTD



REDSTER CTD

REDSTER SL



REDSTER



| PRODUCT | ART. NO. COLOR | SIZES — WEIGHT | SAFETY TECH. | FIT | CONSTRUCTION / VENTING / LINING | EXTRAS | CERTIFICATION | PRICES |
|---------------------------|-----------------------------------|-------------------------|---|---|---|---|--|--------|
| REDSTER SL CTD | AN5006302 Black | S (51-55) M (55-59) | | | PC Racecase / Impact Assessment, SOS Alert Function, Magnetic Fidlock® Buckle, Adjustable Chin Guard included, Removable Goggle Clip, Helmet Bag | ASTM F 2040, CE EN 1077:2007 CLASS B | | |
| | AN5006306 Dark Red | L (59-63) XL (63-65) | ShockSense, 360° Fit System, AMID, Holo Core | Live Fit, 3D Molded Ear Pads | PC Racecase / Aircon Venting / Remove-/Washable Full Cap Liner, 3M™ X-Static Lining | | | |
| | AN5006304 Light Grey / Grey | Black only | | | | | | |
| | 400g / S | | | | | | | |
| REDSTER SL | AN5006308 Black | S (51-55) | | | | | | |
| | AN5006312 Red | M (55-59) | | | | | | |
| | AN5006310 White / Grey | L (59-63) XL (63-65) | AMID, Holo Core | 360° Fit System, Live Fit, 3D Molded Ear Pads | PC Racecase / Aircon Venting / Remove-/Washable Full Cap Liner, 3M™ X-Static Lining | Magnetic Fidlock® Buckle, Adjustable Chin Guard included, Helmet Bag | ASTM F 2040, CE EN 1077:2007 CLASS B | |
| | AN5006502 Teal Blue | Black only | | | | | | |
| | AN5006504 Purple | — | | | | | | |
| | 380g / S | | | | | | | |


| PRODUCT | ART. NO. COLOR | SIZES — WEIGHT | SAFETY TECH. | FIT | CONSTRUCTION / VENTING / LINING | EXTRAS | CERTIFICATION | PRICES |
|---------------------------|--------------------|---------------------------|--|---------------------------------|--|--------|--|--------|
| REDSTER WC CTD | AN5006116 Black | XS (51-53) S (53-55) | | | | | Atomic ShockSense App, Impact Assessment, SOS Alert Function, Magnetic Fidlock® Buckle, Attachable RS Helmet Bag, Acoustic Plates, Chin Guard Compatible, Removable Goggle Clip | |
| | AN5006120 Red | M (55-57) | ShockSense, 360° RS Fit System, AMID, Holo Core | Live Fit, 3D Molded Ear Pads | Carbon Racecase / Aircon Venting / RS Full Cap Liner, Merino 3M™ X-Static Lining | | ASTM F 2040, CE EN 1077:2007 CLASS A, FIS RH 2013 | |
| | AN5006122 Grey | XL (59-61) XXL (61-63) | | | | | | |
| | — | 600g / S | | | | | | |
| REDSTER CTD | AN5006124 Black | XS (51-53) S (53-55) | | | | | Atomic ShockSense App, Impact Assessment, SOS Alert Function, Magnetic Fidlock® Buckle, Attachable RS Helmet Bag, Acoustic Plates, Chin Guard Compatible, Removable Goggle Clip | |
| | AN5006128 Red | M (55-57) | ShockSense, 360° RS Fit System, AMID, Holo Core | Live Fit, 3D Molded Ear Pads | ABS Racecase / Aircon Venting / RS Full Cap Liner, 3M™ X-Static Lining | | ASTM F 2040, CE EN 1077:2007 CLASS A, FIS RH 2013 | |
| | AN5006126 White | XL (59-61) XXL (61-63) | | | | | | |
| | — | 700g / S | | | | | | |
| | AN5006132 Black | | | | | | | |
| | AN5006136 Red | | | | | | | |

| PRODUCT | ART. NO. COLOR | SIZES — WEIGHT | SAFETY TECH. | FIT | CONSTRUCTION / VENTING / LINING | EXTRAS | CERTIFICATION | PRICES |
|----------------|------------------------|---------------------------|--------------------|--|---|--------|---|--------|
| REDSTER | AN5006134 White | XS (51-53) S (53-55) | | | | | Atomic Fidlock® Buckle, Acoustic Plates, Chin Guard Compatible, Removable Goggle Clip, Helmet Bag | |
| | AN5006138 Grey | M (55-57) | AMID, Holo Core | 360° RS Fit System, Live Fit, 3D Molded Ear Pads | ABS Racecase / Aircon Venting / RS Full Cap Liner, 3M™ X-Static Lining | | ASTM F 2040, CE EN 1077:2007 CLASS A, FIS RH 2013 | |
| | AN5006498 Teal Blue | XL (59-61) XXL (61-63) | | | | | | |
| | AN5006500 Purple | — | | | | | | |
| | 700g / S | | | | | | | |
| | AN5006132 Black | | | | | | | |

TECHNICAL SPECIFICATIONS

RACE

RACE JUNIOR




| PRODUCT | ART. NO. COLOR | SIZES — WEIGHT | SAFETY TECH. | FIT | CONSTRUCTION / VENTING/LINING | EXTRAS | CERTIFICATION | PRICES |
|----------------------------------|-----------------------------|-------------------|-----------------------|---|--|---|---|--------|
| REDSTER JR CTD | AN5006298 Black / Grey | S/M (51-55) | ShockSense, Holo Core | 360° Fit System, Live Fit, 3D Molded Ear Pads | ABS Racecase / Aircon Venting / RS Liner | Atomic Shocksense App, Impact Assessment, SOS Alert Function, Acoustic Plates, Chin Guard Compatible, Removable Goggle Clip, Helmet Bag | ASTM F 2040, CE EN 1077:2007 CLASS A, FIS RH 2013 | |
| | AN5006300 Light Grey / Grey | M/L (55-59) | | | | | | |
| REDSTER JR | AN5006142 Black | | Holo Core | 360° Fit System, Live Fit, 3D Molded Ear Pads | ABS Racecase / Aircon Venting / RS Liner | Acoustic Plates, Chin Guard Compatible, Helmet Bag | ASTM F 2040, CE EN 1077:2007 CLASS A, FIS RH 2013 | |
| | AN5006146 Red | S/M (51-55) | | | | | | |
| REDSTER CHIN GUARD SYSTEM | AN5006430 Teal Blue | M/L (55-59) | | | | | | |
| | AN5006144 White | | | | | | | |
| REDSTER CHIN GUARD SYSTEM | AN5006228 Black | one Size fits all | | | | Compatible with: Redster WC CTD, Redster CTD, Redster, Redster JR CTD, Redster JR | | |
| | | | | | | | | |

HELMETS TECHNOLOGY

SUPREME PROTECTION



SHOCKSENSE

Shocksense uses a sensor inside your helmet to transmit impact data to the Atomic ShockSense App. It determines whether you need to replace the helmet and can send an SOS alert, as well as your GPS location, to emergency contacts. Meaning you're free to push your limits with total confidence in your equipment.



AMID

AMID stands for Atomic Multi-directional Impact Deflector and is our own development. It's a revolutionary dual-density foam system which is fixed to the helmet's core and free to move in all directions. This means better protection against impacts from all directions – as the foam cushions energy right at impact, then continues to deflect energy away from the head through its movement. By absorbing energy through the whole impact, it provides a new level of protection, whether the impact is high speed or low speed, direct or angled.



INSTANT FIT

360° RS FIT SYSTEM

The 360° RS Fit System lets you tailor your helmet to exactly your head shape, size and height. For an extra layer of fine-tuning, it also comes with customizable Live Fit pads on each side of your head that allow you to perfectly fit the helmet to a more oval or round head shape.



360° FIT SYSTEM + LIVE FIT

Live Fit pads form a wide band of memory foam that adapts precisely to your head for an instant individual fit. The progressive height-adjustable 360° Fit System lets you finetune the helmet to your head size – and also your headshape. It's 100% personalized comfort guaranteed for every skier.



RACE CONSTRUCTION

CARBON RACECASE

The handcrafted Carbon Racecase is supremely stiff, strong and super light. Featuring a multi-directional layup for unrivaled protection and structural stability, it's specifically designed for racing.



ABS RACECASE

The injection-molded ABS Racecase is a stiff and strong shell, designed for guaranteed protection when skiing at speed.



PC RACECASE

Our super durable PC Racecase delivers world-cup level protection. It's a strong outer layer that provides protection from the high impacts you can get while racing, including hitting gates at speed.



TECHNICAL SPECIFICATIONS

REDSTER

REDSTER WC HD

| | |
|--------------------------|--------------------------|
| | |
| AN5106378 | AN5106380 |
| REDSTER WC HD NEW | REDSTER WC HD NEW |
| BLACK | RED |
| GREEN HD | RED HD |
| CAT. HD 3-2 | CAT. HD 3-2 |
| - | - |
| 3 EXTRA LENSES | 3 EXTRA LENSES |

KIDS

REDSTER WC HD JR

| | | |
|-----------------------|-----------------------|-----------------------|
| | | |
| AN5106392 | AN5106394 | AN5106100 |
| REDSTER HD NEW | REDSTER HD NEW | COUNT JR HD RS |
| BLACK | RED | RED |
| GREEN HD | RED HD | PINK/COPPER HD |
| CAT. HD 3-2 | CAT. HD 3-2 | CAT. HD 3-2 |
| - | - | - |
| 2 EXTRA LENSES | 2 EXTRA LENSES | 2 EXTRA LENSES |

REDSTER HD

| | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | | | |
| AN5106382 | AN5106386 | AN5106384 | AN5106388 | AN5106390 |
| REDSTER HD NEW |
| BLACK | RED | LIGHT GREY | TEAL BLUE | PURPLE |
| GREEN HD | RED HD | SILVER HD | SILVER HD | PINK COPPER HD |
| CAT. HD 3-2 |
| - | - | - | - | - |
| 1 EXTRA LENS |

| PRODUCT | ART. NO. | COLOR | FIT | LENS TYPE | CAT. | VLT | WEATHER | FRAME AND EXTRAS | LENS TECHNOLOGY | PRICES |
|-------------------------|-----------|------------|--------|--|--------|-----|---------------------------|--|---|--------|
| REDSTER WC HD | AN5106378 | Black | Large | Green HD, Extra L.1: Blue HD Extra L.2: Yellow/Blue HD Extra L.3: Clear | HD 3-2 | - | Performs best in Cat.3-2 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Incl. Microfiber Goggle Bag, WC Lens Setup | HD Lens Technology, Toric Double Lens, Sealed Lens System, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |
| | AN5106380 | Red | Large | Red HD, Extra L.1: Blue HD Extra L.2: Yellow/Blue HD Extra L.3: Clear | HD 3-2 | - | Performs best in Cat.3-2 | | | |
| REDSTER HD | AN5106382 | Black | Large | Green HD, Extra L.: Yellow/Blue HD | HD 3-2 | - | Performs best in Cat.3-2 | | | |
| | AN5106386 | Red | Large | Red HD, Extra L.: Yellow/Blue HD | HD 3-2 | - | Performs best in Cat.3-2 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Incl. Microfiber Goggle Bag, WC Lens Setup | HD Lens Technology, Toric Double Lens, Sealed Lens System, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |
| REDSTER WC HD JR | AN5106384 | Light Grey | Large | Silver HD, Extra L.: Yellow/Blue HD | HD 3-2 | - | Performs best in Cat.3-2 | | | |
| | AN5106388 | Teal Blue | Large | Silver HD, Extra L.: Yellow/Blue HD | HD 3-2 | - | Performs best in Cat. 2-1 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Extra Lens included | HD Lens Technology, Toric Double Lens, Sealed Lens System, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |
| REDSTER WC HD JR | AN5106390 | Purple | Large | Pink Copper HD, Extra L.: Yellow/Blue HD | HD 3-2 | - | Performs best in Cat.3-2 | | | |
| | AN5106392 | Black | Medium | Green HD, Extra L.1: Yellow/Blue HD Extra L.2: Clear | HD 3-2 | - | Performs best in Cat.3-2 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Incl. Microfiber Goggle Bag, WC Lens Setup | HD Lens Technology, Toric Double Lens, Easy Lens Switch, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |
| COUNT JR HD RS | AN5106394 | Red | Medium | Red HD, Extra L.1: Yellow/Blue HD Extra L.2: Clear | HD 3-2 | - | Performs best in Cat.3-2 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Incl. Microfiber Goggle Bag, WC Lens Setup | HD Lens Technology, Spherical Double Lens, Easy Lens Switch, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |
| | AN5106100 | Red | Junior | Pink/Copper HD, Extra L.1: Pink/Blue Stereo, Extra L.2: Clear Lens | HD 3-2 | - | Performs best in cat. 3-2 | Live Fit Frame, Over The Glasses Compatible (OTG LITE), Adaptive LF Tri-Layer Face Foam, Vent Foam, Silicone-coated Strap, Incl. Microfiber Goggle Bag, WC Lens Setup | HD Lens Technology, Spherical Double Lens, Easy Lens Switch, Anti-scratch Outer Lens (PC), Hydrophobic Lens Coating, Anti-fog Inner Lens (AC) | |

SEE BETTER. SKI BETTER.

With over two million working parts, the human eye is the most complex sensory organ of all. And to ensure a clear line of sight in even the most extreme mountain conditions, Atomic lens technology is just as advanced. As skiers ourselves, we know what skiers need, and we know that it all starts with clear vision. Applying our rigorous technical approach, we've designed, tested and perfected our goggles to help you progress, with HD lens tech to enhance color and contrast in all conditions.

HD LENS TECHNOLOGY

Engineered at our design center in Austria, HD lens technology is a proprietary innovation from Atomic that provides incredible depth perception for crystal clear vision in all light conditions. As skiers ourselves, we know from experience that flat light reduces confidence by making it harder to pick out variations in terrain. We developed our HD lens technology to dial up color, contrast and clarity like never before. Micro-crystals within the lens divide white light into its six spectral colors, enhancing the sensitive red and blue ones to radically improve depth perception, reduce eye fatigue and build your confidence in all conditions.



FRAME TECHNOLOGY



DIFFERENT FRAME SIZES

As well as different styles, our goggles come in different frame sizes. Ready to fit all face shapes.

SEALED LENS SYSTEM

The new Seald Lens System shuts out wind and water so even on powder days your goggles stay airtight: zero moisture, zero fogging, max visibility. It also allows you to switch lenses easily when needed.

BODY PROTECTION TECHNICAL SPECIFICATIONS

LIVE SHIELD VEST AMID MEN



AN5205034
LIVE SHIELD VEST AMID M
ALL BLACK



AN5205012
LIVE SHIELD VEST AMID M
RED

LIVE SHIELD VEST AMID WOMEN



AN5205038
LIVE SHIELD VEST AMID W
BLACK

LIVE SHIELD SHORTS



AN5205026
LIVE SHIELD SHORTS
GREY / BLACK

JUNIOR



AN5205032
LIVE SHIELD AMID JR
RED

| PRODUCT | ART. NO. | COLOR | SIZES | SAFETY TECHN. | WEIGHT | FABRIC | FIT | EXTRAS | PRICES |
|--------------------------------|-----------|--------------|--------------------------|---|----------|---------------------------------------|--|--|--------|
| LIVE SHIELD VEST AMID M | AN5205034 | All Black | S M L XL | AMID Body | 590g / S | Elastic Air Mesh, 4-Way Stretch Lycra | Ergonomic Slim Fit, Removable and Height Adjustable Belt | Highly Breathable, Ultra Flexible, Washable, Lightweight | |
| LIVE SHIELD VEST AMID W | AN5205012 | Red | | | | | | | |
| LIVE SHIELD VEST AMID W | AN5205038 | Black | XS S M L | AMID Body | 520g / S | Elastic Air Mesh, 4-Way Stretch Lycra | Ergonomic Slim Fit, Removable and Height Adjustable Belt | Highly Breathable, Ultra Flexible, Washable, Lightweight | |
| LIVE SHIELD SHORTS | AN5205026 | Grey / Black | XXS XS S M L | Multi-density 3-Layer Foam, Removable Coccyx Pads | 390g / S | Elastic Air Mesh, 4-Way Stretch Lycra | Active Thermo Fit | Breathable, Flexible, Washable, Ultra Lightweight | |
| LIVE SHIELD AMID JR | AN5205032 | Red | S M L | AMID Body | 520g / S | Elastic Air Mesh, 4-Way Stretch Lycra | Ergonomic Slim Fit, Removable and Height Adjustable Belt | Highly Breathable, Ultra Flexible, Washable, Lightweight | |

BAGS AND PACKS TECHNICAL SPECIFICATIONS

TECHNICAL



AL5045710
LAPTOP PACK
BLACK



AL5045720
LAPTOP PACK
BLACK DARK RED



AL5045810
TRAVEL PACK
BLACK



AL5047820
DUFFLE BAG 40L
BLACK



AL5047920
DUFFLE BAG 60L
BLACK



AL5047520
CABIN TROLLEY
BLACK / BLACK



AL5047420
TROLLEY 90L
BLACK / BLACK



AL5047410
TROLLEY 90L
RED / RIO RED



AL5047310
RS TRUNK 130L
RED / RIO RED

| PRODUCT | ART. NO. | COLOR | VOL. | DIMENSIONS H x L x W | WEIGHT | FABRIC | CONSTRUCTION | FEATURES | PRICES |
|-----------------------|-----------|---------------|------|----------------------|--------|---|---|--|--------|
| LAPTOP PACK | AL5045710 | Black | 20L | 51x30x16cm | 1300g | 600D PE with PU Coating, 420D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Internal Document Sleeve, 17" Padded Laptop Compartment, Easy-Access Main Compartment, Internal Zippered Mesh Pockets, Top Handle, Adjustable Shoulder Straps, Main Compartment with Organizers, Padded Shoulder Straps, Fully Padded | 365 Days Usage, Slim Design, EVA-Molded Back Panels | |
| TRAVEL PACK | AL5045810 | Black | 30L | 53,5x34x20cm | 1300g | 600D PE with PU Coating, 420D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Detachable Office Organizer, Separate Sneakers Bag, 17" Padded Laptop Compartment, Easy-Access Main Compartment, Chest Strap, Top Handle, Adjustable Shoulder Straps, Main Compartment with Organizers, Padded Shoulder Straps, Fully Padded, Internal Pocket | 365 Days Usage, Slim Design, Side Water Bottle Pocket, EVA-Molded Back Panels | |
| DUFFLE BAG 40L | AL5047820 | Black | 40L | 50x35x22cm | 700g | 150D PE with PU*2 Coating, 420D PA with TPU Coating, PVC free, Water- and Stain-resistant | Easy-Access Main Compartment, Sneakers Compartment, Internal Zippered Mesh Pockets, Top Handle, Side Handle, Pocket for Shoulder Strap, Backpack Carry Option, Padded Shoulder Straps, Main Compartment | Lightweight, Durable, 365 Days Usage | |
| DUFFLE BAG 60L | AL5047920 | Black | 60L | 56x40x27cm | 880g | 150D PE with PU*2 Coating, 420D PA with TPU Coating, PVC free, Water- and Stain-resistant | Easy-Access Main Compartment, Sneakers Compartment, Internal Zippered Mesh Pockets, Top Handle, Side Handle, Pocket for Shoulder Strap, Backpack Carry Option, Padded Shoulder Straps, Main Compartment | Lightweight, Durable, 365 Days Usage | |
| CABIN TROLLEY | AL5047520 | Black / Black | 40L | 52x33x20cm | 2200g | 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Internal Document Sleeve, Easy-Access Main Compartment, Retractable Top Handle, Mesh Pocket Inside Lid (Laptop Compatible), Cushioned Handles, Front Accessory Pocket | Durable, 365 Days Usage, Name Card Template, Silent Big Wheels (8,5 cm) | |
| TROLLEY 90L | AL5047420 | Black / Black | 90L | 74x40x29cm | 4000g | 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Easy-Access Main Compartment, Retractable Top Handle, Cushioned Handles, Front Accessory Pocket, Internal Pockets | Durable, 365 Days Usage, Name Card Template, Silent Big Wheels (8,5 cm) | |
| RS TRUNK 130L | AL5047310 | Red / Rio Red | 130L | 98x45x35cm | 4700g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Easy-Access Main Compartment, Retractable Top Handle, Cushioned Handles, Front Accessory Pocket, Internal Pockets | Durable, 365 Days Usage, Easy Cleaning Tarpaulin Lining, Name Tag Print, Silent Big Wheels (8,5 cm), 2-Pair-Boot Compartment | |

BAGS AND PACKS TECHNICAL SPECIFICATIONS



| PRODUCT | ART. NO. | COLOR | VOL. | DIMENSIONS H x L x W | WEIGHT | FABRIC | CONSTRUCTION | FEATURES | PRICES |
|------------------------------------|------------------------|--------------------------------|------|---|--------|---|--|--|--------|
| BOOT & HELMET PACK | AL5050520 AL5050510 | Black / Black Red / Rio Red | 35l | 46x35x23,5cm | 610g | 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Main Compartment for Boots & Helmet, Easy-Access Main Compartment, Padded Shoulder Straps, Ventilation Grid, Padded Back Panel, Internal Pocket | Name Tag Print | |
| RS PACK 30L | AL5050310 | Red / Rio Red | 30l | 50x30x24cm | 1100g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Tangle-free, Easy-Access Main Compartment, Chest Strap, Internal Zippered Mesh Pockets, Integrated Handle, Adjustable Hip Belt, Padded Shoulder Straps, Boot Fixation Cover, Boot Fixation Station, Ventilation Grid, Main Compartment | Durable, Easy Cleaning Tarpaulin Lining, Name Tag Print | |
| RS PACK 50L | AL5045420 | Red / Rio Red | 50l | 58x34x26cm | 1250g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Main Compartment for Boots & Helmet, Easy-Access Main Compartment, Chest Strap, Handle with Ventilation Grid, Adjustable Hip Belt, Adjustable Shoulder Straps, Padded Shoulder Straps, Fully Padded, Internal Zippered Pocket | Durable, Easy Cleaning Tarpaulin Lining, Name Tag Print | |
| RS PACK 90L | AL5045320 | Red / Rio Red | 90l | 70x47x38cm | 1600g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Main Compartment for Boots & Helmet, Separate Ski Boot Bag, Easy-Access Main Compartment, Chest Strap, Top Handle, Handle with Ventilation Grid, Adjustable Hip Belt, Adjustable Shoulder Straps, Padded Shoulder Straps, Fully Padded, Internal Zippered Pocket | Durable, Easy Cleaning Tarpaulin Lining, Name Tag Print | |
| RS HEATED BOOT PACK 230V | AL5047210 | Red / Rio Red | 70l | 60x45x35cm | 2300g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, 150D PE with PU*2 Coating, PVC free, Water- and Stain-resistant | Main Compartment for Boots & Helmet, Easy-Access Main Compartment, Chest Strap, Handle with Ventilation Grid, Adjustable Hip Belt, Padded Shoulder Straps, Padded Back Panel, Cushioned Handles, External Pockets, Internal Zippered Pocket | Easy Cleaning Tarpaulin Lining, Integrated Step-On Mat, Name Tag Print, Temperature Setting Hi/Med/Low, DC and Car Cable Plug-In, 12V/DC/45W.220V/AC/100W - CE-HA0116091007E | |
| RS GOGGLE CASE 2 PAIRS | AL5046410 | Black | 3l | 22x19x15cm | 400g | 600D PE with PU Coating, 150D PE with PU*2 Coating, 600D Poly with PU Coating, PVC free, Water- and Stain-resistant | Top Handle, Fully Padded | Name Tag Print, Integrated Pocket Mirror | |
| RS SKI FIX 10 PCS | AL5049110 | Black / Black | - | 43x5,7x1cm | 28g | | | | |
| ECO SKI FIX 10 PCS | AL5049210 | Black / Red | - | 45,5x4,5x1cm | 7g | | | | |
| RS DOUBLE SKI WHEELIE | AL5047620 AL5047610 | Black / Black Red / Rio Red | - | 217x25x17cm | 2700g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, PVC free, Water- and Stain-resistant | Easy-Access Main Compartment, Helmet and Accessory Pocket, Length Adjustment: Daisy Chain, External Compression Straps, Fully Padded, Adjustable Length, Cushioned Handles | Durable, Easy Cleaning Tarpaulin Lining, Name Tag Print, Silent Big Wheels (8.5 cm) | |
| REDSTER FIS SKI BAG 3 PAIRS | AL5034720 | Black | - | 185x10x40cm 205x10x40cm 230x10x40cm | 3200g | Tarpaulin Lining, 600D PE with PU Coating, 2000D PE with TPE Coating, PVC free | External Compression Straps, Fully Padded | Durable, Name Tag Print | |
| RS SKI WHEELIE 4 PAIRS + | AL5050610 | Red / Rio Red | - | 50x45x45cm | 5000g | Tarpaulin Lining, 600D PE with PU Coating, 500D PE with PU Coating, PVC free, Water- and Stain-resistant | Top Handle, Length Adjustment: Daisy Chain, Side Handles, External Compression Straps, Fully Padded, Cushioned Handles, Ski Length Adjuster, Internal Zippered Pocket | Easy Cleaning Tarpaulin Lining, Name Tag Print, Silent Big Wheels (8.5 cm) | |

APPAREL

RACE LINE



AP510950
RS RAIN COAT
RED



AP5113510
RS JACKET
RED



AP5113520
RS JACKET
BLACK



AP5113710
RS KIDS JACKET
RED

ALPS LINE



AP5112630
ALPS FZ HOODIE NEW
BLUE / DARK BLUE



AP5112620
ALPS FZ HOODIE
MAROON



AP5112640
ALPS FZ HOODIE NEW
GREY / BLACK

RACE LINE



AP5120120
RS HOODIE NEW
GREY



AP5120110
RS HOODIE NEW
RED / MAROON



AP5119910
RS SWEAT PANT NEW
GREY



AP5119920
RS SWEAT PANT NEW
MAROON

ALPS LINE



AP5113210
ALPS JACKET
RED / ANTHRACITE



AP5113240
ALPS JACKET NEW
BLUE / DARK BLUE



AP5113230
ALPS JACKET NEW
GREY / BLACK

RACE LINE



AP5120020
RS KIDS HOODIE NEW
GREY



AP5120010
RS KIDS HOODIE NEW
RED / MAROON



AP5112910
RS T-SHIRT
RED



AP5112920
RS T-SHIRT
BLACK

ALPS LINE



AP5113910
ALPS LS T-SHIRT
BLACK



AP5113930
ALPS LS T-SHIRT NEW
LIGHT BLUE

RACE LINE



AP5113610
RS KIDS T-SHIRT
RED



AP5115240
RS WC T-SHIRT NEW
PETROL



AP5115220
RS WC T-SHIRT
BLACK



AP5115230
RS WC T-SHIRT NEW
GREY

ALPS LINE



AP5113840
ALPS T-SHIRT NEW
BLUE



AP5113810
ALPS T-SHIRT
BLACK



AP5113830
ALPS T-SHIRT
RED

APPAREL

ATOMIC LINE WOMEN



AP5112830
W ALPS FZ HOODIE NEW
PURPLE



AP5112810
W ALPS FZ HOODIE
WHITE / ANTHRACITE



AP5112820
W ALPS FZ HOODIE
DUSTY ROSE / MAROON

ATOMIC LINE WOMEN



AP5113010
W ALPS T-SHIRT
BLACK



AP5113020
W ALPS T-SHIRT
MAROON



AP5113060
W ALPS T-SHIRT NEW
LAVENDER



AP5113050
W ALPS T-SHIRT NEW
SKY BLUE

ATOMIC LINE



AP5114140
ATOMIC POLO-SHIRT NEW
PETROL



AP5114130
ATOMIC POLO-SHIRT NEW
DARK BLUE



AP5114110
ATOMIC POLO-SHIRT
ANTHRACITE

ATOMIC LINE



AP5107910
ATOMIC SWEATER
ANTHRACITE



AP5107920
ATOMIC SWEATER
MAROON



AP5107610
W ATOMIC SWEATER
ANTHRACITE



AP5107620
W ATOMIC SWEATER
MAROON

RACE LINE



AL5109250
RACING BEANIE NEW
BLUE / GREY / LIGHT BLUE



AL5109230
RACING BEANIE
CARROT / RED / MAROON



AL5108560
ALPS KIDS BEANIE NEW
BLUE / GREY / LIGHT BLUE



AL5108550
ALPS KIDS BEANIE
DUSTY ROSE / WHITE / MAROON

ALPS LINE



AL5115450
ALPS BEANIE NEW
BLUE



AL5115460
ALPS BEANIE NEW
GREY



AL5115410
ALPS BEANIE
BLACK



AL5115420
ALPS BEANIE
RED



AL5108750
ALPS PEAK BEANIE NEW
PURPLE



AL5108730
ALPS PEAK BEANIE
BLACK

ALPS LINE



AL5115350
ALPS HEADBAND NEW
GREY



AL5115370
ALPS HEADBAND NEW
LAVENDER



AL5115340
ALPS HEADBAND NEW
BLUE



AL5115360
ALPS HEADBAND NEW
CORAL FLUO

ALPS LINE



AL5115040
ALPS SLOUCH BEANIE NEW
PETROL



AL5115010
ALPS SLOUCH BEANIE
MAROON



AL5115020
ALPS SLOUCH BEANIE
DUSTY ROSE



AL5035280
ALPS ROLLED CUFF BEANIE NEW
DARK BLUE



AL5035250
ALPS ROLLED CUFF BEANIE
BROWN



AL5035270
ALPS ROLLED CUFF BEANIE
MAROON

ALPS LINE



AL5114810
ALPS TRUCKER CAP
BLACK



AL5114820
ALPS TRUCKER CAP
SAGE



AL5110510
ALPS TECH CAP
GREY



AL5110530
ALPS TECH CAP
SAGE

F I S R U L E S 2 0 2 3 / 2 4 (E Q U I P M E N T R U L E S)

| DISCIPLINE | GENDER | SKI LENGTH (MINIMUM) SKI LENGTH MEASUREMENT TOLERANCE OF +/- 1 CM | RADIUS (MINIMUM) | PROFILE WIDTH UNDER BINDING | PROFILE WIDTH IN FRONT OF BINDING | MAXIMUM STAND HEIGHT (SKI/PLATE/BINDING) |
|---|-----------------|---|---------------------|--------------------------------|---|--|
| W C / E C / C O C / F I S M E N A N D W O M E N | | | | | | |
| DH | MEN | 218 cm** | 50 m*** | <= 65 mm | <= 95 mm | 50 mm |
| DH | WOMEN | 210 cm** | 50 m*** | <= 65 mm | <= 95 mm | 50 mm |
| SG | MEN | 210 cm** | 45 m | <= 65 mm | <= 95 mm | 50 mm |
| SG | WOMEN | 205 cm** | 40 m | <= 65 mm | <= 95 mm | 50 mm |
| GS | MEN | 193 cm** | 30 m | <= 65 mm | <= 103 mm | 50 mm |
| GS | WOMEN | 188 cm** | 30 m | <= 65 mm | <= 103 mm | 50 mm |
| SL | MEN | 165 cm* | | >= 63 mm | | 50 mm |
| SL | WOMEN | 155 cm | | >= 63 mm | | 50 mm |
| ** - 5 cm tolerance for FIS and ENL / * - 10 cm tolerance for men U18 (Junior I) / *** Radius measurement for DH skis with a preparation tolerance of - 1 m | | | | | | |
| U 1 4 (K 1) + U 1 6 (K 2) | | | | | | |
| SG | U14 MEN / WOMEN | | | <= 65 mm | | 50 mm |
| SG | U16 MEN / WOMEN | >= 183 cm | 30 m | <= 65 mm | | 50 mm |
| GS | U14 MEN / WOMEN | <= 188 cm | 17 m | <= 65 mm | | 50 mm |
| GS | U16 MEN / WOMEN | <= 188 cm | 17 m | <= 65 mm | | 50 mm |
| SL | U14 MEN / WOMEN | >= 130 cm | | | | 50 mm |
| SL | U16 MEN / WOMEN | >= 130 cm | | | | 50 mm |
| >= minimum / <= maximum | | | | | | |
| M A S T E R S | | | | | | |
| SG | MEN | 185 cm* | | | | 50 mm |
| SG | WOMEN | 180 cm* | | | | 50 mm |
| GS skis are allowed! | | | | | | |
| GS | MEN | 185 cm** | | | | 50 mm |
| GS | WOMEN | 180 cm** | | | | 50 mm |
| SL | MEN | | | | | 50 mm |
| SL | WOMEN | | | | | 50 mm |

* no tolerance / ** - 5cm tolerance

For masters athletes the ski length is a recommendation (except SG)! No restrictions regarding length, width and radius for women above 55 and men above 65!




 The FIS recommendations and rules for ski length, radius and profile width can be found in the current FIS Specifications for Competition Equipment! (www.fis-ski.com)

R E D S T E R F I S U S E R R E C O M M E N D A T I O N S 2 0 2 3 (S K I , B I N D I N G , B O O T)

Ski selection of FIS products, both length and model, will be always very individual and a subjective decision. We noticed some common trends and following chart should help you to make the right decisions. The optimal skis FIS model and length is determined by the ability, the weight and also the strength of the user.

| AGE | WEIGHT (kg) | WEIGHT (lbs) | SLALOM | LENGTH (cm) | BINDING | GIANT SLALOM | LENGTH (cm) | BINDING | BOOT |
|---|----------------|-----------------|--|----------------|------------------------------------|--|--------------------|------------------------------------|----------------------|
| U8 A G E S 6 - 7 | 18 - 23 | 40 - 50 | REDSTER J9 FIS J-RP ² | 116 | COLT 7 C | REDSTER J9 FIS J-RP ² REDSTER G9 FIS J-RP ² | 116 / 124 | COLT 7 C | JR 40 |
| | 23 - 27 | 50 - 60 | REDSTER S9 FIS J-RP ² | 124 | COLT 7 C | REDSTER G9 FIS J-RP ² | 124 / 131 | COLT 7 C | JR 60 RS |
| | 27 - 32 | 60 - 70 | REDSTER S9 FIS J-RP ² | 124 | COLT 7 C | REDSTER G9 FIS J-RP ² | 124 / 131 | COLT 7 C | JR 60 RS |
| U10 A G E S 8 - 9 | 32 - 36 | 70 - 80 | REDSTER S9 FIS J-RP ² | 124 / 131 | COLT 7 C | REDSTER G9 FIS J-RP ² | 131 / 138 | COLT 7 C, COLT 10 | JR 40 |
| | 36 - 41 | 80 - 90 | REDSTER S9 FIS J-RP ² | 131 / 138 | COLT 7 C, COLT 10 | REDSTER G9 FIS J-RP ² | 138 / 145 | COLT 10 | JR 40 / JR 60 RS |
| | 41 - 45 | 90 - 100 | REDSTER S9 FIS J-RP ² | 138 / 145 | COLT 10 | REDSTER G9 FIS J-RP ² | 145 / 152 | COLT 10 | JR 60 RS |
| U12 A G E S 10 - 11 | 32 - 36 | 70 - 80 | REDSTER S9 FIS J-RP ² | 131 | COLT 7 C, COLT 10 | REDSTER G9 FIS J-RP ² | 131 / 138 | COLT 10 | JR 60 RS |
| | 36 - 41 | 80 - 90 | REDSTER S9 FIS J-RP ² | 131 / 138 | COLT 7 C, COLT 10 | REDSTER G9 FIS J-RP ² | 138 / 145 | COLT 10 | STI 70 |
| | 41 - 45 | 90 - 100 | REDSTER S9 FIS J-RP ² | 138 / 145 | COLT 10 | REDSTER G9 FIS REVOSHOCK J-RP ² REDSTER G9 FIS REVOSHOCK J | 145 / 152 | COLT 10 X 12 GW | STI 70 |
| U14 A G E S 12 - 13 | 45 - 50 | 100 - 110 | REDSTER S9 FIS J-RP ² | 145 / 152 | COLT 10, COLT 12 | REDSTER G9 FIS REVOSHOCK J-RP ² REDSTER G9 REVOSHOCK J | 159 / 166 | COLT 10, COLT 12 X 12 GW | STI 90 |
| | 50 - 54 | 110 - 120 | REDSTER S9 FIS J | 145 / 152 | X 12 GW | REDSTER G9 FIS REVOSHOCK J-RP ² REDSTER G9 REVOSHOCK J | 159 / 166 | COLT 10, COLT 12 X 12 GW | STI 110 |
| | 32 - 36 | 70 - 80 | REDSTER S9 FIS J-RP ² | 131 | COLT 7 C, COLT 10 | REDSTER G9 FIS J-RP ² | 131 / 138 | COLT 10 | JR 60 RS |
| U16 A G E S 14 - 15 | 36 - 41 | 80 - 90 | REDSTER S9 FIS J-RP ² | 131 / 138 | COLT 7 C, COLT 10 | REDSTER G9 FIS J-RP ² | 138 / 145 | COLT 10 | STI 70 |
| | 41 - 45 | 90 - 100 | REDSTER S9 FIS J-RP ² REDSTER S9 FIS J | 138 / 145 | COLT 10, COLT 12, X 12 GW, X 14 GW | REDSTER G9 FIS J-RP ² REDSTER G9 REVOSHOCK J | 152 / 159 | COLT 10, COLT 12, X 12 GW, X 14 GW | STI 70 |
| | 45 - 50 | 100 - 110 | REDSTER S9 FIS J-RP ² REDSTER S9 FIS J | 145 / 152 | COLT 12, X 12 GW, X 14 GW | REDSTER G9 FIS J-RP ² REDSTER G9 REVOSHOCK J | 159 / 166 | COLT 12, X 12 GW, X 14 GW | STI 70 / STI 90 |
| F I S W O M E N A G E S 16 + U P | 50 - 54 | 110 - 120 | REDSTER S9 FIS J REDSTER S9 FIS S | 152 / 155 | X 12 GW, X 14 GW, X 12 VAR | REDSTER G9 FIS J-RP ² REDSTER G9 REVOSHOCK J | 166 | COLT 12, X 12 GW, X 14 GW | STI 110 / TI 110 |
| | 54 - 59 | 120 - 130 | REDSTER S9 FIS J REDSTER S9 FIS S | 152 / 155 | X 12 GW, X 14 GW, X 12 VAR | REDSTER G9 FIS REVOSHOCK | 173 | X 12 VAR | STI 110 / TI 110 |
| | 59 - 68 | 130 - 150 | REDSTER S9 FIS REDSTER S9 FIS W | 155 / 157 | X 12 VAR, X 16 VAR | REDSTER G9 FIS REVOSHOCK | 173 / 180 | X 12 VAR, X 16 VAR | STI 130 / TI 130 |
| F I S M E N A G E S 16 + U P | 68 + | 150 | REDSTER S9 FIS W | 157 | X 16 VAR | REDSTER G9 FIS REVOSHOCK | 180 / 187 | X 16 VAR | STI 130 / TI 130 |
| | 50 - 54 | 110 - 120 | REDSTER S9 FIS W | 157 | X 16 VAR | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR | STI 110 |
| | 54 - 59 | 120 - 130 | REDSTER S9 FIS W | 157 | X 16 VAR | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR | STI 110 |
| F I S W O M E N A G E S 16 + U P | 59 - 64 | 130 - 140 | REDSTER S9 FIS W | 157 | X 16 VAR | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR | STI 110 / STI 130 |
| | 64 - 69 | 140 - 150 | REDSTER S9 FIS W | 157 | X 16 VAR, ICON 24 | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR, ICON 24 | STI 130 |
| | 69 - 73 | 150 - 160 | REDSTER S9 FIS W | 157 | X 16 VAR, ICON 24 | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR, ICON 24 | STI 130 / STI 150 |
| F I S M E N A G E S 16 + U P | 73 + | 160 + | REDSTER S9 FIS W | 157 | X 16 VAR, ICON 24 | REDSTER G9 FIS REVOSHOCK W | WC/EC 188, FIS 183 | X 16 VAR, ICON 24 | STI 150 |
| | 54 - 59 | 120 - 130 | REDSTER S9 FIS M | 165 | X 16 VAR | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 16 VAR | TI 110 |
| | 59 - 64 | 130 - 140 | REDSTER S9 FIS M | 165 | X 16 VAR, X 19 MOD | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 19 VAR, X 19 MOD | TI 110 / TI 130 |
| F I S M E N A G E S 16 + U P | 64 - 69 | 140 - 150 | REDSTER S9 FIS M | 165 | X 16 VAR, X 19 MOD, ICON 24 | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 16 VAR, X 19 MOD, ICON 24 | TI 130 |
| | 69 - 73 | 150 - 160 | REDSTER S9 FIS M | 165 | X 16 VAR, X 19 MOD, ICON 24 | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 16 VAR, X 19 MOD, ICON 24 | TI 150 |
| | 73 - 77 | 160 - 170 | REDSTER S9 FIS M | 165 | X 16 VAR, X 19 MOD, ICON 24 | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 16 VAR, X 19 MOD, ICON 24 | TI 150 |
| F I S M E N A G E S 16 + U P | 77 + | 170 + | REDSTER S9 FIS M | 165 | X 16 VAR, X 19 MOD, ICON 24 | REDSTER G9 FIS REVOSHOCK M REDSTER G9 FIS REVOSHOCK W | WC/EC 193, FIS 188 | X 16 VAR, X 19 MOD, ICON 24 | TI 150 / TI 170 |

BORN ON THE RACE COURSE



1 Niels Hintermann **2** Alex Vinatzer **3** Mirjam Puchner **4** Breezy Johnson **5** Travis Ganong **6** Nadia Delago
7 Joana Hählen **8** Filip Zubcic **9** Sofia Goggia **10** Mina Fürst Holtmann **11** Lucas Braathen **12** Blaise Giezendanner
13 Aleksander Aamodt Kilde **14** Maryna Gasienica-Daniel **15** Mikaela Shiffrin **16** Katharina Gallhuber **17** Manuel Feller
18 Nicol Delago **19** Erik Read **20** Ali Nullmeyer **21** Andreas Sander **22** Daniel Danklmaier **23** Marco Schwarz
24 Stephanie Brunner **25** Fabio Gstrein **26** Mauro Caviezel

ATOMIC PRO CENTER

ATOMIC PRO CENTER

ALtenmarkt

Atomic Strasse 1
5541 Altenmarkt im Pongau
Austria
Tel. +43 6452 3900 177
procenter@atomic.com
www.atomic.com/en/
atomicprocenter

ATOMIC PRO CENTER

OSLO

Snøfonna 1
1470 Lørenskog
Norway
Tel. +47 919 21 901
procenter.oslo@atomic.com
www.atomic.com/en-no/
atomicprocenter

ATOMIC PRO CENTER PARTNER

A U S T R I A

BRÜNDL SPORTS

Nikolaus-Gassner-Straße 4
5710 Kaprun
Austria
Tel. +43 6547 83880
office@bruendl.at
www.bruendl.at

INSIDER SPORTSHOP TUX

Vorderlanersbach 83
6293 Tux
Austria
Tel. +43 5287 86109
info@insider-sportshop.com
www.insider-sportshop.com

INTERSPORT SCHNEIDER

Wagnergasse 4
5541 Altenmarkt im Pongau
Austria
Tel. +43 6452 5479
info@intersport-schneider.at
www.intersportrent.at

S P O R T F A C T O R Y

Widmoosweg 3
5602 Wagrain
Austria
Tel. +43 6413 7365
info@sport-factory.com
www.sport-factory.com

S P O R T H & N

Dorf 35a
6235 Reith im Alpbachtal
Austria
Tel. +43 5337 63260
sport-hun@sport-hun.at
www.sport-hun.at

C A N A D A

S O M M E T S A I N T - S A U V E U R

350 avenue Saint-Denis

Saint-Sauveur (Québec)

Canada

J0R 1R3

infos@sommets.com

Tel. +450-227-4671 or

1-800-363-2426

S Q U I R E J O H N ' S

209896 Highway 26 West

The Blue Mountains

ON L9Y 0L1

Canada

Tel. +1 705-445-1130

info@squirejohns.com

www.squirejohns.com

G E R M A N Y

I N T E R S P O R T S K I - H I R T

Titiseestraße 28
79822 Titisee-Neustadt
Germany
Tel. +49 7651 92280
egon.hirt@ski-hirt.de
www.ski-hirt.de

I N T E R S P O R T S K I H Ü T T E

Tiroler Straße 2
83242 Reit
Germany
Tel. +49 8640 7969290
www.skihuette.net

S P O R T S P E I S E R G M B H

Sport Speiser GmbH
Flurstraße 2
87538 Bolsterlang
Tel. +49 8326 38058
info@sport-speiser.de
www.sport-shop-speiser.de

I T A L Y

O R N E L L O S P O R T S . N . C

Piazza XX Settembre, 10
46041 Asola MN
Italy
Tel. +39 0376 710234
info@ornellosport.com
www.ornellosport.com

R O S S I N I S P O R T

Via Comasina, 7
20843 Verano Brianza MB
Italy
Tel. +39 0362 900912
info@rossinisport.it
www.rossinisport.it

S P I T A L E R S P O R T S

Via Pillhof, 47
39057 Eppan
BZ
Italy
Tel. +39 0471 205104
www.spitalersports.com

T E C H N O S P O R T S . R . L .

Frazione Plan Felinaz, 19
11020 Plan Felinaz AO
Italy
Tel. +39 0165 32829
technosport.vda@gmail.com
www.technosport.vda.it

J A P A N

D O I N G A M S

2-2-6-1 Minami-ku, Terabetōri
Aichi Nagoya, 457-0072
Japan
Tel. +81 52-217-9634
www.ams-doing.com

K A N D A H A R M A C H I D A S H O P

5-9-15 Haramachida
Machida City
Tokyo 194-0013
Japan
Tel. +81 42-732-7877
www.kandahar.co.jp

I S H I S P O R T S K A N D A

C O M P E S H O P
1-6-1 Jinbouchyo
Chiyoda-KU
TOKYO 100-0051
Japan
Tel. +81 3-3295-6060
www.ici-sports.com

I S H I S P O R T S M O R I O K A S H O P

Moss Bill 2F 2-8-14 Morioka
Morioka City
Iwate 020-0022
Japan
Tel. +81 19-626-2122
www.ici-sports.com

I S H I S P O R T S Y O D O B A S H I

U T S U N O M I Y A S H O P
8F 1-4-6 Ekimae-dori
Utsunomiya City
Tochigi 321-0964
Japan
Tel. +81 28-612-8691
www.ici-sports.com

T A N A B E S P O R T S

5-4 Sumiyoshi Matsuyamachi
Chuo-KU
Osaka City 540-0017
Japan
Tel. +81 6-6763-3901
www.tanabesports.jp

N E T H E R L A N D S

D A K A S S C

Langestraat 111-115
3811 AD Amersfoort
Netherlands
Tel. +31613691044
www.daka.nl/filialen/amersfoort

S L O V E N I A

K O A L A

Ulica Antonia Tomšiča 11
1294 Višnja Gora
Slovenia
Tel. +386 41 721 888
koala@koala.si
www.koala.si

S P A I N

P A T R I C K S P O R T

C.C. Sexta Avenida
Local A-97/98/99
Avda. de la Victoria 2,
28023 El Plantio
Madrid
Tel. 91 372 84 92
info@patricksport.com

V A Q U I N S P O R T S &

L O I S I R S

Immeuble Mont-Calme
1997 Haute-Nendaz
Switzerland
Tel. +41 27 565 87 54
vaquin.sport@gmail.com
www.atelierduskivaquin.ch

V I R A G E S P O R T S

Rte du téléphérique 5
3967 Vercorin
Switzerland
Tel. +41 27 455 87 00
info@virage.ch
www.virage.ch

U K

S K I B A R T L E T T

Uxbridge Rd
Uxbridge UB10 0NP
United Kingdom
Tel. +44 2088480040
www.skibartlett.com

S O L U T I O N S 4 F E E T

7 Market Square
Bicester OX26 6AA
United Kingdom
Tel. +44 1869 244424
www.solutions4feet.com

U S A

A R A C E R S E D G E

114 east Lincoln Avenue
Breckenridge
CO 80424
USA
Tel. +1 970-453-7600
www.aracersedge.com

M O U N T H O O D A L P I N E R A C I N G C E N T E R


WINTER LOCATION
6520 HWY 35
Mt. Hood, OR 97041
SUMMER LOCATION
88786 E. Government Camp Loop
Government Camp, OR 97028
Tel. +1 541-352-70000
www.mthoodarc.com

P I E R C E S K A T E A N D S K I

208 West 98th Street
Bloomington, MN 55420
Tel. +952-884-1990
www.pierceskateandski.com

R O D G E R S S K I A N D S P O R T

5 Railroad Street
Lincoln
NH 03251
USA
Tel. +1 603-745-8347
www.rodgersskiandsport.com



printed according to the
Austrian Ecolabel criteria
for printed matter,
Samson Druck GmbH,
UW-Nr. 837



Carbon neutral
Print product
ClimatePartner.com/11442-2210-1002